

BULLETIN

SUPERSEDES ALL PRICES PRIOR TO March, 2015 P-875 KS & CTT 12 - 70 HP

March, 2015

LIST PRICES 12 - 70 HP "KS" KRAMER SAVER "CTT" THERMOBANK CONDENSING UNITS

ALL PRODUCTS, EXCEPT SURFACE COILS AND PARTS, ARE SHIPPED F.O.B. POINT
OF SHIPMENT WITH FULL FREIGHT ALLOWED ON SINGLE ORDERS WITH A NET PRICE VALUE OF \$7000.00
OR MORE, WITHIN THE CONTINENTAL USA (EXCLUDING ALASKA AND HAWAII). ANY ADDITIONAL
COSTS INCURRED FOR SPECIAL ROUTING AND HANDLING REQUESTS WILL BE INVOICED.

INDEX

PAGE	DESCRIPTION
2, 3	KRAMER SAVER - AIR DEFROST LIST PRICES (H22,H44), FEATURES AND NOTES
4, 5	KRAMER SAVER - ELECTRIC DEFROST LIST PRICES (L44, L22), (M44, M22), FEATURES AND NOTES
6, 7	THERMOBANK - HOT GAS DEFROST LIST PRICES (M22, M44, L22, L44), FEATURES AND NOTES
8	OPTIONS, 4 YEAR EXTENDED COMPRESSOR WARRANTIES, FREIGHT SURCHARGES



1123 Church Street, #204, Covington, GA 30015


AIR DEFROST - KRAMER SAVER 12 - 70 HP										
REFR.	MODEL "KS"	E	BASIC UNIT	SUCTION	OIL	CYLIND.		NON FUSED (1 DISCONNECT	•	
		230/3	460/3	575/3	ACCUM.	SEP.	UNLOAD	230V/3/60	460V/3/60	575V/3/60
	KS21200M44	\$37,111	\$38,864	N/A	\$2,064	\$1,437	\$922	\$1,918	\$2,276	\$2,276
	KS21500M44	40,160	41,189	41,932	2,064	1,437	1,995	2,057	2,710	2,710
R-407C	KS22000M44	44,221	46,868	47,213	2,064	2,374	1,995	2,057	2,710	2,710
R-507	KS22500M44	52,244	52,537	53,502	2,584	2,374	1,995	2,057	2,710	2,710
R-404A	KS23000M44	60,799	63,069	64,235	2,584	2,374	1,995	3,514	3,615	3,615
MEDIUM	KS23500M44	68,265	70,308	71,620	2,584	2,374	3,984	3,514	3,615	3,615
TEMP	KS24000M44	74,564	77,206	78,656	3,743	2,374	3,984	3,514	3,615	3,615
AIR	† KS25001M44	119,975	122,666	125,039	3,743	INCL	3,984	-	4,588	4,588
DEFROST	† KS26001M44	138,338	141,323	144,069	3,743	INCL	3,984	-	-	-
	† KS27001M44	152,392	155,003	158,023	3,743	INCL	3,984	•	-	-

Units are available for R404A (M44), R507 (M57) OR R407C (H47). Add the appropriate suffix to the model number.

Price shown for compressor unloading is for single bank only unless otherwise stated below.

Price shown for unloading on dual compressor units is for 1 bank of one compressor only.

NOTE - Nomenclature for large condensing units



1. Non Fused Disconnect shipped loose.

All models have POE lubricant as standard.

CTT2 = Copeland DISCUS Compressor

KS3 = CARLYLE Compressor

KS4 = Bitzer Compressor

See page 8 for additional options. Liquid/Suction Heat Exchanger Shipped Loose.

TO OBTAIN SYSTEM PRICES, USE PRICE SHEET P-858A TO PRICE SYSTEM EVAPORATORS FOR ALL "KS" CONDENSING UNITS.

[†] Dual Compressor Unit piped in parallel and supplied with Oil Equalization System and Oil Separator.

KRAMER SAVER AIR DEFROST SYSTEM STANDARD FEATURES

- 1. HI-LO PRESSURE SWITCH, AUTO RESET LOW / MANUAL RESET HIGH
- 2. ELECTRONIC OIL PRESSURE CONTROL (5 HP) AND UP
- 3. CONTACTORS & OVERLOAD PROTECTORS
- 4. SUCTION & DISCHARGE VIBRATION ELIMINATORS
- 5. MANUAL COMPRESSOR SWITCH & PUMPDOWN SWITCH
- 6. CRANKCASE HEATER
- 7. WEATHER PROOF HOUSING
- 8. RECEIVER WITH SERVICE VALVE
- 9. FUSIBLE PLUG
- 10. MINIMUM CHARGE MONITOR DUAL SIGHT GLASSES W/ MOISTURE INDICATOR
- 11. SUCTION LINE FILTER REPLACEABLE CORE TYPE
- 12. LIQUID LINE DRIER REPLACEABLE CORE TYPE
- 13. DEFROST TIMER (SEE NOTE 1 and 2)
- 14. LIQUID LINE SOLENOID VALVE (SEE NOTE 1)
- 15. ROOM THERMOSTAT (SEE NOTE 1)
- 16. THERMOSTATIC EXPANSION VALVE (1 PER EVAP.) (SEE NOTE 1)
- 17. BRAIDED HOSE LINES
- 18. CONTROL CIRCUIT TRANSFORMER (460V UNITS ONLY)
- 19. SUB CIRCUIT FUSING

NOTES:

Item shipped loose for field installation.
 SEE PAGE 8 FOR ADDITIONAL OPTIONS

ELECTRIC DEFROST - KRAMER SAVER 12 - 70 HP										
REFR.	MODEL "KS"	BASIC UNITS			SUCTION	OIL	CYLIND.	DI	ON FUSEI	CT
		230/3	460/3	575/3	ACCUM.	SEP.	UNLOAD	230 V	460 V	575V
	KS21200M44	\$38,967	\$40,807	N/A	\$2,064	\$1,437	\$1,995	\$2,057	\$2,710	\$2,710
	KS21500M44	42,356	43,385	44,128	2,064	1,437	1,995	2,057	2,710	2,710
R-407C	KS22000M44	46,417	48,564	49,409	2,584	2,374	1,995	2,057	2,710	2,710
R-507	KS22500M44	54,233	54,526	55,491	2,584	2,374	1,995	2,057	2,710	2,710
R-404A	KS23000M44	62,788	65,058	66,224	2,584	2,374	1,995	3,514	3,615	3,615
MEDIUM	KS23500M44	70,254	72,297	73,609	2,584	2,374	1,995	3,514	3,615	3,615
TEMP	KS24000M44	76,553	79,195	80,645	2,584	2,374	1,995	3,514	3,615	3,615
ELECTRIC	† KS25001M44	122,094	124,785	127,158	3,743	INCL	1,995	-	4,588	4,588
DEFROST	† KS26001M44	140,457	143,442	146,188	3,743	INCL	1,995	-	-	-
	† KS27001M44	154,511	157,122	160,142	3,743	INCL	3,984	-	-	-
	KS21200L44	\$42,383	\$44,412	\$47,685	\$2,064	\$1,437		\$2,057	\$2,710	\$2,710
R-507	KS21500L44	45,457	46,595	50,233	2,064	1,437		2,057	2,710	2,710
R-404A	KS22200L44	52,109	52,840	56,660	2,064	1,437		2,057	2,710	2,710
LOW	KS22700L44	58,414	60,390	61,476	2,584	2,374	SEE	2,057	2,710	2,710
TEMP	KS23100L44	64,094	66,264	67,467	2,584	2,374	NOTE	-	3,615	3,615
ELECTRIC	† KS24401L44	116,222	117,745	119,978	3,743	INCL	2	-	3,615	3,615
DEFROST	† KS25401L44	128,813	130,908	133,404	3,743	INCL		-	3,615	3,615
	† KS26201L44	140,353	141,732	144,444	3,743	INCL		-	-	-

Medium Temp Units available for R404A (M 44), R507 (M57) or R407C (H47). Add the appropriate suffix to the model number.

Price shown for compressor unloading is for single bank only unless otherwise stated below

† Dual Compressor Unit piped in parallel and supplied with Oil Equalization System and Oil Separator Price shown for unloading on dual compressor units is for 1bank of one compressor only.

CTT2 = Copeland DISCUS Compressor

KS3 = CARLYLE Compressor available - Contact Factory for pricing.

KS4 = BITZER Compressor

KS5 = Demand Cooling

See page 8 for additional options. Liquid/Suction Heat Exchanger Shipped Loose.

TO OBTAIN SYSTEM PRICES, USE PRICE SHEET **P-858A** TO PRICE SYSTEM EVAPORATORS FOR ALL "KS" CONDENSING UNITS.

SEE NOMENCLATURE EXAMPLE ON PAGE 2

KRAMER SAVER ELECTRIC DEFROST SYSTEM STANDARD FEATURES

- 1. HI-LO PRESSURE SWITCH, AUTO RESET LOW / MANUAL RESET HIGH
- 2. ELECTRONIC OIL PRESSURE CONTROL (5 HP AND UP)
- 3. CONTACTORS & OVERLOAD PROTECTORS
- 4. SUCTION & DISCHARGE VIBRATION ELIMINATORS
- 5. MANUAL COMPRESSOR SWITCH / PUMPDOWN SWITCH
- 6. CRANKCASE HEATER
- 7. WEATHER PROOF HOUSING
- 8. RECEIVER W/ SERVICE VALVE
- 9. FUSIBLE PLUG
- 10. MINIMUM CHARGE MONITOR DUAL SIGHT GLASSES W/ MOISTURE INDICATOR
- 11. SUCTION LINE FILTER REPLACEABLE CORE TYPE
- 12. LIQUID LINE DRIER REPLACEABLE CORE TYPE
- 13. DEFROST TIMER W/ CONTACTORS (AS REQUIRED)
- 14. LIQUID LINE SOLENOID VALVE (SEE NOTE 1)
- 15. ROOM THERMOSTAT (SEE NOTE 1)
- 16. THERMOSTATIC EXPANSION VALVE (1 PER EVAP.) (SEE NOTE 1)
- 17. BRAIDED HOSE LINES
- 18. CONTROL CIRCUIT TRANSFORMER (460V UNITS ONLY)
- 19. SUB CIRCUIT FUSING

SEE PAGE 8 FOR ADDITIONAL OPTIONS

NOTES:

Item shipped loose for field installation.
 SEE PAGE 8 FOR ADDITIONAL OPTIONS

CTT THERMOBANK 12 - 70 HP

When ordered as condensing unit only									
REFR.	MODEL "CTT"	BASIC UNITS			SUCTION ACCUM.	OIL SEP.	NON FUSED (1) DISCONNECT		
		230/3	460/3	575/3	ACCOM.	SLI.	230 V	460 V	575 V
	CTT21500M44	54,597	55,734	56,849	2,064	1,437	2,057	2,710	2,710
	CTT22000M44	61,163	65,258	66,770	2,064	2,374	2,057	2,710	2,710
R-507	CTT22500M44	77,666	80,052	81,654	2,584	2,374	2,057	2,710	2,710
R-404A	CTT23000M44	83,706	86,597	88,330	2,584	2,374	3,514	3,615	3,615
MEDIUM	CTT23500M44	93,208	95,811	97,727	2,584	2,374	3,514	3,615	3,615
TEMP	CTT24000M44	101,225	104,590	106,683	2,584	2,374	3,514	3,615	3,615
HOT GAS	† CTT25001M44	131,907	134,282	136,968	3,743	INCL	-	4,588	4,588
DEFROST	† CTT26001M44	156,365	158,734	161,909	3,743	INCL	-	4,588	4,588
	† CTT27001M44	196,011	200,579	204,591	3,743	INCL	-	-	-
	CTT21500L44	57,440	59,279	60,465	2,064	1,437	2,057	2,710	2,710
R-507	CTT22200L44	66,728	68,692	70,066	2,064	1,437	2,057	2,710	2,710
R-404A	CTT22700L44	78,882	81,401	83,030	2,584	2,374	2,057	2,710	2,710
LOW TEMP	CTT23100L44	89,840	92,604	94,457	2,584	2,374	3,514	3,615	3,615
HOT GAS	† CTT24401L44	130,718	132,988	135,648	3,743	INCL	3,514	3,615	3,615
DEFROST	† CTT25401L44	152,792	156,406	159,534	3,743	INCL	-	4,588	4,588
	† CTT26201L44	170,556	172,143	175,587	3,743	INCL	-	-	-

wnen ordered as a complete system with evaps.									
REFR.	MODEL "CTT"	В	BASIC UNITS	SUCTION ACCUM.	OIL		NON FUSED (1) DISCONNECT		
		230/3	460/3	575/3	ACCOM.	SEP.	230 V	460 V	575 V
	CTT21500M44	45,497	46,445	47,374	2,064	1,437	2,057	2,710	2,710
	CTT22000M44	50,969	54,381	54,381	2,064	2,374	2,057	2,710	2,710
R-507	CTT22500M44	64,721	66,710	68,045	2,584	2,374	2,057	2,710	2,710
R-404A	CTT23000M44	69,755	72,164	73,608	2,584	2,374	3,514	3,615	3,615
MEDIUM	CTT23500M44	77,673	79,842	81,439	2,584	2,374	3,514	3,615	3,615
TEMP	CTT24000M44	84,354	87,158	88,902	2,584	2,374	3,514	3,615	3,615
HOT GAS	† CTT25001M44	131,907	134,282	136,968	3,743	INCL	-	4,588	4,588
DEFROST	† CTT26001M44	156,365	158,734	161,909	3,743	INCL	-	4,588	4,588
	† CTT27001M44	196,011	200,579	204,591	3,743	INCL	-	-	-
	CTT21500L44	47,866	50,387	51,586	2,064	1,437	2,057	2,710	2,710
R-507	CTT22200L44	55,606	57,243	58,388	2,064	1,437	2,057	2,710	2,710
R-404A	CTT22700L44	65,735	67,834	69,191	2,584	2,374	2,057	2,710	2,710
LOW TEMP	CTT23100L44	74,866	77,170	78,714	2,584	2,374	3,514	3,615	3,615
HOT GAS	† CTT24401L44	108,931	110,823	122,084	3,743	INCL	3,514	3,615	3,615
DEFROST	† CTT25401L44	127,326	130,338	143,581	3,743	INCL	-	4,588	4,588
	† CTT26201L44	142,130	143,452	158,028	3,743	INCL	-	-	-

Medium Temp Units are available for R404A (M 44), R507 (M57), R407C (H47) or R22 (H 22). Add the appropriate suffix to the model number.

† Dual Comp. Unit piped in parallel and supplied with Oil Equalization System and Oil Separator.

CTT2 = Copeland DISCUS Compressor

CTT3 = CARLYLE Compressor available

CTT4 = Bitzer Compressor available

See page 8 for additional options. Liquid/Suction Heat Exchanger Shipped Loose.

TO OBTAIN SYSTEM PRICES, USE PRICE SHEET ${f P-858A}$ TO PRICE SYSTEM EVAPORATORS FOR ALL "CTT" CONDENSING UNITS.

SEE NOMENCLATURE EXAMPLE ON PAGE 2

THERMOBANK HOT GAS DEFROST SYSTEM

STANDARD FEATURES

- 1. HI-LO PRESSURE SWITCH, AUTO RESET LOW / MANUAL RESET HIGH
- 2. ELECTRONIC OIL PRESSURE CONTROL (5 HP AND UP)
- 3. CONTACTORS & OVERLOAD PROTECTORS
- 4. SUCTION & DISCHARGE VIBRATION ELIMINATORS
- 5. MANUAL COMPRESSOR SWITCH / PUMPDOWN SWITCH
- 6. CRANKCASE HEATER
- 7. WEATHER PROOF HOUSING
- 8. RECEIVER W/ SERVICE VALVE
- 9. FUSIBLE PLUG
- 10. MINIMUM CHARGE MONITOR DUAL SIGHT GLASSES W/ MOISTURE INDICATOR
- 11. SUCTION LINE FILTER REPLACEABLE CORE TYPE
- 12. LIQUID LINE DRIER REPLACEABLE CORE TYPE
- 13. DEFROST TIMER W/ REQUIRED H.G. DEFROST CONTROLS
- 14. LIQUID LINE SOLENOID VALVE (SEE NOTE 1)
- 15. ROOM THERMOSTAT (SEE NOTE 1)
- 16. THERMOSTATIC EXPANSION VALVE (1 PER EVAP.) (SEE NOTE 1)
- 17. BRAIDED HOSE LINES
- 18. CONTROL CIRCUIT TRANSFORMER (460V UNITS ONLY)
- 19. SUB CIRCUIT FUSING
- 20. HOT GAS SOLENOID (SEE NOTE 1)

NOTES:

1. Item shipped loose for field installation.

SEE PAGE 8 FOR ADDITIONAL OPTIONS

ADDITIONAL OPTIONS						
DESCRIPTION	LIST PRICE					
ANTI-SHORT CYCLE TIMER (PRICE IS PER COMPRESSOR)	\$629					
EVAPORATOR FAN CONTACTOR	304					
GAUGE KIT - HIGH, LOW, AND OIL PRESSURE (PER COMPRESSOR)	1,544					
OVERSIZED RECEIVER - 1500 THROUGH 2200 MODELS	704					
OVERSIZED RECEIVER - 2500 THROUGH 4400 MODELS	1,987					
OVERSIZED RECEIVER - 5000 AND LARGER MODELS	991					
PHASE LOSS MONITOR (PRICE IS BASED ON 1 PER UNIT)	1,040					
SPRING LOADED PRESSURE RELIEF VALVE	287					
SINGLE POINT ALARM	356					
TIMER INSTALL CHARGE FOR MEDIUM TEMP AIR DEFROST SYSTEMS	274					
Electronic Room T-stat (A419ABC-1C) Part# 204464206	353					

	4 YEAR EXTENDED COMPRESSOR WARRANTY								
	MEDIUM TEMPEI	RATURE			LOW TEMP	ERATURE			
	SEMI-HERMETIC COMPRESSOR	REFRIG	NET		II-HERMETIC MPRESSOR	REFRIG	NET		
H.P.	MODEL		PRICE	H.P.	MODEL		PRICE		
12	3DF-R15ME*	22 or 44	\$865	12	4DB-F54KE*	22 or 44	\$865		
15	3DS-R17ME*	22 or 44	1,116	15	4DL-F63KE*	22 or 44	1,116		
20	4DB-R20ME*	22 or 44	1,382	20C [†]	06CC665	22	545		
25	4DH-R22ME*	22 or 44	1,554	22	4DT-F76KE*	22 or 44	1,382		
30	4DJ-R28ME*	22 or 44	1,656	24C [†]	06CC675	22	620		
35	6DH-R35ME*	22 or 44	1,744	27	6DL-F93KE*	22 or 44	1,554		
40	6DJ-R40ME*	22 or 44	1,821	31	6DT-F11ME*	22 or 44	1,656		
50	(2) 4DH-R22ME*	22 or 44	3,108	40C [†]	(2) 06CC665	22	1,090		
60	(2) 4DJ-R28ME*	22 or 44	3,312	44	(2) 4DT-F76KE*	22 or 44	2,764		
70	(2) 6DH-R35ME*	22 or 44	3,488	48C [†]	(2) 06CC675	22	1,240		
80	(2) 6DH-R40ME*	22 or 44	3,642	54	(2) 6DL-F93KE*	22 or 44	3,108		
				62	(2) 6DT-F11ME*	22 or 44	3,312		

^{*}E = POE Oil or 0 = Mineral Oil. All current models have POE oil.

Limited Extended Compressor Warranty covers defects in factory material or workmanship.

Defective compressor, with serial number tag intact, must be returned to an authorized wholesaler.

Warranty does not include external parts, controls, refrigerant, shipping, labor or product loss.

FREIGHT SURCHARGES

The following freight surcharges will be applied to orders when applicable. For delivery and post delivery issues, the customer will be notified and a second invoice will be generated.

BASIC LTL SURCHARGES	NET [†]
Delivery Notification / Call before delivery	\$68
Lift Gate Service	\$213
Saturday Delivery Request	\$484
*Failed/Refused delivery attempt (minimum)	\$98
*Failed/Refused delivery attempt (Maximum)	\$1,214
Re-Consignment fee	\$91
Storage (Per 100 LBS for each calendar day)	\$4.62

BASIC CONTRACT HAUL SURCHARGES	NET^T
Cancelled truck not used	\$2,160
Reconsignment fee	\$775
Reconsignment cost per mile (\$1505 Minimum)	\$3.23
Delay in unloading (4 hours or more past an appointment)	\$1,505

[†] Net prices are not to be discounted.

^{† =} CARLYLE Compound Cooling

^{*} Refused Delivery fee will be calculated @ 11.6 cents per 100 LBS, subject to Minimum and Maximum charges shown above (per incident). † Net prices are not to be discounted.