



**BULLETIN**

**P-880**

SUPERSEDES  
ALL PRICES PRIOR  
TO MARCH, 2015

Remote &  
Water Cooled  
Condensing Units  
MARCH, 2015

**LIST PRICES**  
**"KW" SERIES WATER COOLED CONDENSING UNITS**  
**1/2 THROUGH 40 HP**  
**AND**  
**"KR" SERIES REMOTE CONDENSING UNITS**  
**3 THROUGH 40 HP**

ALL PRODUCTS, EXCEPT SURFACE COILS AND PARTS, ARE SHIPPED F.O.B. POINT OF SHIPMENT WITH FULL FREIGHT ALLOWED ON SINGLE ORDERS WITH A NET PRICE VALUE OF \$7000.00 OR MORE, WITHIN THE CONTINENTAL USA (EXCLUDING ALASKA AND HAWAII). ANY ADDITIONAL COSTS INCURRED FOR SPECIAL ROUTING AND HANDLING REQUESTS WILL BE INVOICED.

**INDEX**

<b>PAGE</b>	<b>DESCRIPTION</b>
<b>2</b>	<b>INDOOR WATER COOLED CONDENSING UNITS - KW MODELS - 1/2 - 5 HP AND KW SERIES OPTIONS</b>
<b>3</b>	<b>INDOOR WATER COOLED CONDENSING UNITS - KW MODELS - 3 - 40 HP AND KW SERIES SCROLL COMPRESSORS</b>
<b>4</b>	<b>REMOTE COMPRESSOR UNITS - KR MODELS AND OPTIONS</b>

Products purchased from our finished goods warehouses may be subject to an additional surcharge fee.



TELEPHONE (770) 788-5800  
FAX ORDER HOTLINE (770) 788-5820  
Visit us on the web at: <http://kramer.htpgusa.com>  
1123 Church Street, #204, Covington, GA 30015

# KW SERIES WATER COOLED COMPRESSOR UNITS 1/2 THROUGH 5 HP

§ REF TYPE	NOM H.P.	MODEL NUMBER	BASE LIST PRICE			WATER REG. VALVE‡	CLEANABLE CONDENSER	LIQUID LINE KIT (LK)	* SUCTION LINE KIT (SK)	^ SUCTION ACCUM.	4 YEAR EXT. COMP. WARRANTY	APPROX. WT. LBS
			230/3	230/1	460/3							
<b>HERMETIC COMPRESSOR</b>												
<b>MED. TEMP. 404A</b>	0.5	KWH055M44	N/A	\$3,916	N/A	\$416	\$565	\$498	\$317	\$488	\$105 NET	105
	0.5	KWH080M44	N/A	3,987	N/A	416	565	498	317	488	105 NET	105
	0.75	KWH090M44	N/A	4,110	N/A	416	811	498	317	488	105 NET	113
	0.75	KWH100M44	\$4,242	4,376	\$4,680	416	565	498	317	488	105 NET	110
	3.0	KWH125M44	4,418	4,418	N/A	416	811	498	317	488	118 NET	138
	1.5	KWH151M44	4,695	4,527	5,221	416	1,007	498	317	488	118 NET	158
	1.5	KWH200M44	5,338	4,932	N/A	416	1,007	498	317	488	129 NET	161
	1.75	KWH251M44	5,666	5,346	6,238	416	1,152	498	317	488	129 NET	168
	1/2	KWH301M44	6,359	6,297	6,743	451	1,152	498	317	488	142 NET	186
	3/4	KWH325M44	6,936	6,591	7,144	451	1,518	577	377	754	142 NET	206
<b>LOW TEMP. 404A</b>	3/4	KWH400M44	8,878	8,754	9,289	506	1,744	577	377	754	142 NET	340
	1.0	KWH500M44	9,661	9,524	10,165	802	1,744	577	377	754	142 NET	360
	0.75	KWH075L44	4,304	4,304	N/A	416	565	498	317	488	105 NET	110
	1.0	KWH100L44	4,540	4,491	N/A	416	811	498	317	488	105 NET	115
	1.5	KWH165L44	4,660	4,563	N/A	416	1,007	498	317	488	118 NET	140
<b>LOW TEMP. 404A</b>	2.0	KWH215L44	4,814	4,693	4,843	416	1,152	498	317	488	129 NET	160
	3.0	KWH315L44	6,986	6,784	7,020	451	1,518	577	377	754	142 NET	350
<b>SEMI-HERMETIC COMPRESSOR</b>												
<b>MED. TEMP. 404A</b>	1.0	KWS100M44	9,106	9,258	N/A	416	811	498	317	488	175 NET	170
	1.5	KWS150M44	10,308	N/A	N/A	416	1,007	498	317	488	181 NET	197
	2.0	KWS200M44	10,809	10,809	N/A	416	1,152	498	317	488	269 NET	240
	2.5	KWS250M44	11,628	N/A	N/A	451	1,518	577	317	488	269 NET	370
	3.0	KWS300M44	11,473	N/A	13,705	451	1,744	577	377	754	306 NET	430
<b>LOW TEMP. 404A</b>	0.5	KWS050L44	8,264	8,264	N/A	416	565	498	317	488	175 NET	150
	0.75	KWS075L44	8,515	8,515	N/A	416	565	498	317	488	175 NET	160
	1.0	KWS100L44	8,596	8,596	10,379	416	811	498	317	488	175 NET	170
	1.5	KWS150L44	8,946	9,126	11,760	416	1,007	498	317	488	181 NET	200
	2.0	KWS200L44	11,890	12,363	13,216	416	1,152	498	317	488	269 NET	240
3.0	KWS300L44	12,845	13,443	13,878	451	1,744	577	377	754	306 NET	430	
<b>DISCUS COMPRESSOR</b>												
<b>MED. TEMP. 404A</b>	5.0	KWD500M44	16,382	N/A	17,712	784	1,744	577	377	754	795 NET	540
<b>LOW TEMP. 404A</b>	3.0	KWD300L44	15,220	N/A	16,710	802	1,744	577	377	754	306 NET	170
	4.0	KWD400L44	16,439	N/A	18,346	802	1,744	577	377	754	454 NET	240
	5.0	KWD500L44	16,986	N/A	18,149	802	1,744	577	377	754	454 NET	240

NOTE: Models shown in shaded areas are **only available as 230/1V**. Contact factory for 208/1 V. application using a buck-boost transformer

\* Suction line assembly option must be ordered to receive the Suction Accumulator pre-pipe

§ For R-507 models, use equivalent R-404A model prices. Models 055M44, 065M44, and 070M44 not suitable for use with R50;

^ For pre-piped Suction Accumulator, the SK option must also be ordered

‡ Water Reg. Valve shipped Loose for field installation.

<b>KW SERIES OPTIONAL PIPING COMPONENTS</b>					
Liquid Line Kit		*Suction Line Kit		Liquid Line Solenoid Valve	
HP	Kit Num	HP	Kit Num	HP	LIST PRICE
1/2 - 3	LK-MC1	1/2 - 3	*SK-MC-1	1/2 - 3	\$270
4 - 6	LK-MC2	4 - 6	*SK-MC-2	4 - 8	302

<b>KW SERIES ADDITIONAL OPTIONS</b>	
DESCRIPTION	LIST PRICE
ANTI-SHORT CYCLE TIMER	\$629
GAUGE KIT, HIGH, LOW, AND OIL PRES.	1,794
PHASE LOSS MONITOR	1,040
OVERSIZED CONTROL PANEL (OCP)	612
ELECTRONIC OIL PRESSURE CONTROL (SOPC)	782
TWO-TIERED STACKING OPTION - KWH and KWS	2,642
TWO-TIERED STACKING OPTION - KWD	4,649

## KW SERIES INDOOR WATER COOLED CONDENSING UNITS 3 THROUGH 40 HP AND KW SCROLL MODELS

REFR. TYPE	NOM HP	MODEL NUMBER	LIST PRICE		WATER REG. VALVE‡	LK	* SK	¹ SUCTION LINE ACCUM.	OIL SEPERATOR	4 YEAR EXT. COMP. WARRANTY	APPRX. SHIP WT (LBS)	
			230/3	460/3								
<b>DISCUS COMPRESSOR</b>												
MED. TEMP. R-404A	5.0	KWD5M44	\$17,822	\$19,727	\$784	\$582	\$792	\$754	\$1,285	\$558	NET	485
	5.0	KWD6M44	19,179	21,151	784	582	792	754	1,285	550	NET	465
	7.5	KWD7M44	20,532	22,692	1,075	582	792	754	1,285	558	NET	540
	7.5	KWD8M44	22,485	24,432	1,075	582	792	754	1,285	558	NET	590
	10.0	KWD10M44	26,424	27,319	1,075	784	1,175	1,109	1,369	721	NET	780
	12.0	KWD12M44	28,630	29,143	1,388	984	1,625	2,318	1,609	865	NET	790
	15.0	KWD15M44	29,504	30,384	1,388	984	1,625	2,318	1,609	1,086	NET	800
	20.0	KWD20M44	33,890	34,542	1,388	984	1,625	2,318	1,609	1,382	NET	835
	25.0	KWD25M44	39,115	39,659	1,388	1,150	1,625	2,903	2,667	1,554	NET	1,050
	30.0	KWD30M44	46,549	46,971	1,388	1,150	1,625	2,903	2,667	1,656	NET	1,105
35.0	KWD35M44	52,556	52,975	1,388	1,150	1,625	2,903	2,667	1,744	NET	1,150	
40.0	KWD40M44	57,590	58,264	1,388	1,150	1,625	2,903	2,667	1,821	NET	1,200	
LOW TEMP. R-404A	3	KWD3L44	15,348	17,065	784	582	792	754	1,285	306	NET	390
	4.0	KWD4L44	16,450	18,109	784	582	792	754	1,285	454	NET	465
	5.0	KWD5L44	17,238	18,521	784	582	792	754	1,285	454	NET	485
	6.0	KWD6L44	19,340	20,402	784	582	792	754	1,285	550	NET	530
	8.0	KWD8L44	21,087	22,547	1,075	582	792	754	1,285	558	NET	590
	9.0	KWD9L44	23,336	24,941	1,075	784	1,175	1,109	1,369	721	NET	620
	10.0	KWD10L44	25,743	26,341	1,075	784	1,175	1,109	1,369	721	NET	795
	12.0	KWD12L44	28,590	28,934	1,075	984	1,625	2,318	1,609	865	NET	820
	15.0	KWD15L44	31,139	31,509	1,388	984	1,625	2,318	1,609	1,116	NET	845
	22.0	KWD22L44	36,682	36,960	1,388	984	1,625	2,318	1,609	1,382	NET	1,030
27.0	KWD27L44	51,567	51,923	1,388	1,150	1,625	2,903	2,667	1,554	NET	1,255	
30.0	KWD30L44	53,495	54,222	1,388	1,150	1,625	2,903	2,667	1,656	NET	1,310	
<b>SEMI-HERMETIC COMPRESSOR</b>												
MED. TEMP. R-404A	3.0	KWS3M44	\$13,784	\$15,132	\$784	\$582	\$792	\$754	\$1,285	\$306	NET	400
LOW TEMP. R-404A	3.0	KWS3L44	11,018	11,762	784	582	792	754	1,285	306	NET	375

REFR. TYPE	NOM. HP	MODEL NUMBER	LIST PRICE			WATER REG. VALVE‡	CLEANABLE CONDENSER	LK	* SK	¹ SUCTION LINE ACCUM.	OIL SEPERATOR	4 YEAR EXT. COMP. WARRANTY	APPRX. SHIP WT (LBS)	
			230/3	230/1	460/3									
MED. TEMP. R404A	1.0	KWO100M44	N/A	\$5,920	N/A	\$416	\$811	\$498	\$317	\$488	\$1,285	\$194	NET	315
	1.5	KWO150M44	N/A	6324	N/A	416	1,007	498	317	488	1,285	194	NET	315
	2.0	KWO200M44	6,747	6,737	7,209	416	1,152	498	317	488	1,285	194	NET	315
	2.5	KWO250M44	7,386	7,319	7,852	451	1,518	577	377	754	1,285	194	NET	325
	3.0	KWO315M44	8,586	8,472	8,979	451	1,744	577	377	754	1,285	253	NET	325
	3.0	KWO350M44	9,141	9,026	9,427	451	1,744	577	377	754	1,285	253	NET	335
	4.0	KWO400M44	9,511	9,378	9,781	506	1,744	577	377	754	1,285	264	NET	335
	6.0	KWO600M44	9,789	9,650	10,220	784	1,744	577	377	754	1,285	271	NET	360
	6.5	KWO650M44	11,397	N/A	11,586	784	C/F	582	792	754	1,369	550	NET	360
	7.5	KWO7M44	16,968	N/A	17,416	1,075	C/F	582	792	754	1,369	448	NET	405
	7.5	KWO8M44	21,142	N/A	22,670	1,075	C/F	582	792	754	1,369	448	NET	450
	10.0	KWO10M44	26,254	N/A	27,006	1,075	C/F	784	1,175	1,109	1,369	485	NET	665
	13.0	KWO13M44	26,720	N/A	27,528	1,388	C/F	984	1,625	2,318	1,609	560	NET	675
LOW TEMP. R-404A	2.0	KWO200L44	8,208	8,075	9,036	416	1,152	498	317	488	1,285	194	NET	315
	2.5	KWO250L44	8,365	8,248	9,168	451	1,518	577	377	754	1,285	194	NET	330
	3.0	KWO300L44	9,057	8,920	9,329	451	1,744	577	377	754	1,285	253	NET	330
	3.0	KWO301L44	9,532	9,391	9,763	451	1,744	577	377	754	1,285	253	NET	340
	4.0	KWO400L44	9,941	9,812	10,172	506	1,744	577	377	754	1,285	264	NET	340
	5.0	KWO500L44	10,328	10,201	10,570	784	1,744	577	377	754	1,285	264	NET	355
	6.0	KWO600L44	11,652	N/A	12,292	784	1,744	577	377	754	1,285	271	NET	360
	7.5	KWO8L44	16,963	N/A	18,302	1,075	C/F	582	792	754	1,369	448	NET	335
10.0	KWO10L44	21,313	N/A	22,894	1,075	C/F	784	1,175	1,109	1,369	485	NET	645	
13.0	KWO13L44	23,840	N/A	24,621	1,388	C/F	984	1,625	2,318	1,609	560	NET	670	

NOTE: Models shown in shaded areas are **only available as 230/1V**. Contact factory for 208/1 V. application using a buck-boost transformer.

\* Suction line assembly option must be ordered to receive the Suction Accumulator pre-piped.

§ For R-507 models, use equivalent R-404A model prices. Models 055M44, 065M44, and 070M44 not suitable for use with R507.

^ For pre-piped Suction Accumulator, the SK option must also be ordered.

† Contact factory for 460V/3 price and availability.

C/F = Consult the factory for pricing.

‡ Water Reg. Valve shipped Loose for field installation.

## KR SERIES REMOTE COMPRESSOR UNITS 2 THROUGH 40 HP

REFR. TYPE	NOM. HP	MODEL NUMBER	LIST PRICE		LK	* SK	^ SUCTION LINE ACCUM.	OIL SEPERATOR	4 YEAR EXT. COMP. WARRANTY		APPRX. SHIP WT. (lbs)
			230/3	460/3							
<b>DISCUS COMPRESSOR</b>											
MED. TEMP. R-404A	5.0	KRD5M44	\$13,125	\$14,542	\$582	\$792	\$754	\$1,285	\$454	NET	470
	6.0	KRD6M44	16,480	18,458	582	792	754	1,285	550	NET	470
	7.5	KRD7M44	17,760	20,037	582	792	754	1,369	558	NET	530
	7.5	KRD8M44	18,689	20,642	582	792	754	1,369	558	NET	580
	10.0	KRD10M44	20,463	21,276	784	1,175	1,109	1,369	721	NET	760
	12.0	KRD12M44	21,909	22,614	984	1,625	2,318	1,609	865	NET	770
	15.0	KRD15M44	23,302	24,117	984	1,625	2,318	1,609	1,086	NET	780
	20.0	KRD20M44	25,536	26,614	984	1,625	2,318	1,609	1,382	NET	820
	25.0	KRD25M44	26,956	27,454	1,150	1,625	2,903	2,667	1,554	NET	1,035
	30.0	KRD30M44	31,767	32,209	1,150	1,625	2,903	2,667	1,656	NET	1,090
35.0	KRD35M44	36,066	36,563	1,150	1,625	2,903	2,667	1,744	NET	1,125	
40.0	KRD40M44	39,508	39,889	1,150	1,625	2,903	2,667	1,821	NET	1,180	
LOW TEMP. R-404A	3.0	KRD3L44	12,381	13,826	582	792	754	1,285	306	NET	390
	4.0	KRD4L44	14,439	15,854	582	792	754	1,285	454	NET	450
	5.0	KRD5L44	15,169	16,484	582	792	754	1,285	454	NET	470
	6.0	KRD6L44	15,624	17,148	582	792	754	1,285	550	NET	500
	8.0	KRD8L44	18,423	20,217	582	792	754	1,369	558	NET	590
	9.0	KRD9L44	19,473	21,337	784	1,175	1,109	1,369	721	NET	620
	10.0	KRD10L44	21,585	21,890	784	1,175	1,109	1,369	721	NET	790
	12.0	KRD12L44	24,316	24,593	984	1,625	2,318	1,609	865	NET	800
	15.0	KRD15L44	26,110	26,826	984	1,625	2,318	1,609	1,116	NET	820
	22.0	KRD22L44	30,146	30,678	984	1,625	2,318	1,609	1,382	NET	1,010
27.0	KRD27L44	36,847	37,410	1,150	1,625	2,903	2,667	1,554	NET	1,235	
30.0	KRD30L44	43,152	43,980	1,150	1,625	2,903	2,667	1,656	NET	1,285	
<b>SEMI-HERMETIC COMPRESSOR</b>											
MED. TEMP. R-404A	3.0	KRS3M44	12,491	14,196	582	792	754	1,285	306	NET	380
LOW TEMP. R-404A	3.0	KRS3L44	12,079	13,451	582	792	754	1,285	306	NET	370

<b>SCROLL COMPRESSOR</b>														
REFR. TYPE	NOM. HP	MODEL NUMBER	LIST PRICE			WATER REG. VALVE‡	CLEANABLE CONDENSER	LK	* SK	^ SUCTION LINE ACCUM.	OIL SEPERATOR	4 YEAR EXT. COMP. WARRANTY		APPRX. SHIP WT. (lbs)
			230/3	230/1	460/3									
MED. TEMP. R-404A	2.0	KRO200M44	\$7,118	\$7,055	\$7,604	N/A	N/A	\$498	\$317	\$488	\$1,285	\$194	NET	215
	2.5	KRO250M44	6,972	6,849	7,435	N/A	N/A	577	377	754	1,285	194	NET	230
	3.0	KRO315M44	7,661	7,494	8,048	N/A	N/A	577	377	754	1,285	253	NET	305
	3.0	KRO350M44	7,379	7,232	7,709	N/A	N/A	577	377	754	1,285	253	NET	325
	4.0	KRO400M44	7,761	7,609	8,091	N/A	N/A	577	377	754	1,285	264	NET	352
	6.0	KRO600M44	7,717	7,573	8,039	N/A	N/A	577	377	754	1,285	271	NET	383
	6.5	KRO650M44	8,504	N/A	9,283	N/A	N/A	577	792	754	1,285	271	NET	383
	7.5	KRO7M44	13,537	N/A	13,895	N/A	N/A	582	792	754	1,369	448	NET	395
	7.5	KRO8M44	14,458	N/A	15,503	N/A	N/A	582	792	754	1,369	448	NET	440
	10.0	KRO10M44	17,058	N/A	17,545	N/A	N/A	784	1,175	1,109	1,369	485	NET	645
13.0	KRO13M44	19,188	N/A	19,770	N/A	N/A	984	1,625	2,318	1,609	560	NET	655	
LOW TEMP. R-404A	2.0	KRO200L44	7,872	7,693	8,344	N/A	N/A	498	317	488	1,285	194	NET	230
	2.5	KRO250L44	8,221	8,048	8,704	N/A	N/A	577	377	754	1,285	194	NET	240
	3.0	KRO300L44	8,500	8,314	8,985	N/A	N/A	577	377	754	1,285	253	NET	245
	3.0	KRO301L44	8,945	8,781	9,405	N/A	N/A	577	377	754	1,285	253	NET	255
	4.0	KRO400L44	9,265	9,104	9,622	N/A	N/A	577	377	754	1,285	264	NET	352
	5.0	KRO500L44	9,507	9,351	9,862	N/A	N/A	577	377	754	1,285	264	NET	367
	6.0	KRO600L44	10,515	N/A	10,878	N/A	N/A	577	377	754	1,285	271	NET	383
	7.5	KRO8L44	14,501	N/A	15,643	N/A	N/A	582	792	754	1,369	448	NET	335
	10.0	KRO10L44	18,219	N/A	19,569	N/A	N/A	784	1,175	1,109	1,369	485	NET	640
	13.0	KRO13L44	19,836	N/A	20,485	N/A	N/A	984	1,625	2,318	1,609	550	NET	650

\* Suction line assembly option must be ordered to receive the Suction Accumulator pre-piped.  
 † For pre-piped Suction Accumulator, the SK option must also be ordered.

‡ Water Reg. Valve shipped Loose for field installation.

<b>KR SERIES OPTIONAL PIPING COMPONENTS</b>					
Liquid Line Kit		* Suction Line Kit		Liquid Line Solenoid Valve	
HP	Kit Num	HP	Kit Num	HP	LIST PRICE
1/2 - 3	LK-MC1	1/2 - 3	*SK-MC-1	1/2 - 3	\$270
4 - 6	LK-MC2	4 - 6	*SK-MC-2	4 - 8	302
3 - 8	LK-4	3 - 8	SK-4	4 - 8	302
9 - 10	LK-5	9 - 10	SK-5	9 - 10	437
12 - 22	LK-6	12 - 22	SK-6	12 - 15	540
25 - 40	LK-7	25 - 40	SK-7	22	540

<b>KR SERIES ADDITIONAL OPTIONS</b>	
DESCRIPTION	LIST PRICE
ANTI-SHORT CYCLE TIMER	\$629
GAUGE KIT, HIGH, LOW, AND OIL PRESSURE	1,794
PHASE LOSS MONITOR	1,040
MECHANICAL ROOM THERMOSTAT (A19AAA-49C) Part# 204464001	274
ELECTRONIC ROOM THERMOSTAT (A419ABC-1C) Part# 204464206	353
OVERSIZED CONTROL PANEL (OCP)	612
ELECTRONIC OIL PRESSURE CONTROL (SOPC)	782
TWO-TIERED STACKING OPTION - 1 thru 6.5 HP	2,642
TWO-TIERED STACKING OPTION - 7 thru 13 HP	4,649