

High Sierra Refrigeration Systems 1½ - 30 HP List Prices February, 2012

All products, except surface coils and parts, are shipped F.O.B. point of shipment with full freight allowed on single orders with a net price value of \$7,000 or more, within the continental USA (excluding Alaska and Hawaii). Any additional costs incurred for special routing or handling requests will be invoiced. **See page 15 additional freight instructions.**

DESCRIPTION

High Sierra Systems ship complete with the following features and accessories:

Outdoor condensing unit with:

- R-Series - Hermetic, Semi-Hermetic or Scroll compressor
- "D" Series - Discus or Scroll compressor
- Oil pressure control (when applicable)
- High and Low pressure controls
- Crankcase heater
- Low profile galvanized steel housing
- Copper tube, Aluminum fin condenser / receiver
- RUSSAVER floating head pressure control
- Subcooling circuit
- Sightglass with moisture indicator (mounted)
- Vibrasorbbers (semi-hermetic models only)
- Liquid line charging valve
- Liquid line filter-drier (mounted)
- Suction line filter (mounted)
- Large electrical control panel
- Compressor contactor or start kit
- Counter flow defrost components
- Fan Cycle Control (Dual fan condensing unit only)



Evaporator(s) with:

- Copper tube, Aluminum fin
- Aluminum housing
- EC fan motors (PSC for 460V)
- Epoxy fan guards - ACF Models, Epoxy coated wire fan guards for ICF and UCF.
- Balanced port expansion valve(s) **(mounted)**
- Liquid line solenoid valve(s) **(mounted)**
- Room thermostat*, one per system **(mounted)**

* (On multiple evaporator systems one thermostat controls all evaporators using a master/slave wiring arrangement.)

TABLE OF CONTENTS

0°F Room Temperature	Page
<i>All - Temp²B</i>	
MiniCon - Hermetic	3
MiniCon - Semi Hermetic	3
MiniCon - Discus	3
MiniCon - Scroll	3
D Series - Discus	4
<i>Inter - Temp</i>	
D Series - Discus	4
D Series - Scroll	5
<i>Ultra - Temp</i>	
D Series - Discus	5
D Series - Scroll	5
V Series - Discus	6
-10°F Room Temperature	
<i>All - Temp²B</i>	
MiniCon - Hermetic	7
MiniCon - Semi Hermetic	7
MiniCon - Discus	7
MiniCon - Scroll	7
D Series - Discus	8
<i>Inter - Temp</i>	
D Series - Discus	8
D Series - Scroll	9
<i>Ultra - Temp</i>	
D Series - Discus	9
D Series - Scroll	9
V Series - Discus	10
-20°F Room Temperature	
<i>All - Temp²B</i>	
MiniCon - Hermetic	11
MiniCon - Semi Hermetic	11
MiniCon - Discus	11
MiniCon - Scroll	11
D Series - Discus	12
<i>Inter - Temp</i>	
D Series - Discus	12
D Series - Scroll	13
<i>Ultra - Temp</i>	
D Series - Discus	13
D Series - Scroll	13
V Series - Discus	14
 <i>Freight Surcharges</i>	 15

LIST PRICES

MiniCon — All - Temp²B

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES		WARR.§ NET PRICE	SHIP WEIGHT (LBS)	
	COND. UNIT	(#)	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U			230/1 V. EVAP 230/3 V. C/U
H E R M E T I C	RHH165L44	(1)	ACF26-75B	8,350	10.7	\$17,330	\$17,449	\$219	250
	RHH165L44	(2)	ACF16-41B	8,540	9.9	19,599	19,718	219	283
	RHH215L44	(1)	ACF36-120B	13,040	10.4	19,589	19,988	238	321
	RHH215L44	(1)	ACF36-140B	13,520	9.3	20,783	21,182	238	328
	RHH215L44	(2)	ACF26-60B	13,020	10.5	22,236	22,635	238	351
	RHH315L44	(1)	ACF46-164B	17,500	10.2	24,129	24,179	444	635
	RHH315L44	(1)	ACF46-185B	17,940	9.3	24,852	24,902	444	645
	RHH315L44	(2)	ACF26-92B	17,940	9.3	27,308	27,358	444	504
S E M I - H E R M E T I C	RHS100L44	(1)	ACF26-60B	6,010	9.7	18,221	18,571	282	274
	RHS150L44	(1)	ACF26-92B	9,340	9.7	21,211	21,020	318	310
	RHS200L44	(1)	ACF36-120B	11,620	9.5	24,381	24,155	438	398
	RHS200L44	(2)	ACF26-60B	11,620	9.5	27,028	26,802	438	428
	RHS200L44	(1)	ACF36-140B	12,120	8.3	25,575	25,349	438	405
	RHS300L44	(1)	ACF46-185B	17,800	9.4	29,730	28,806	503	735
	RHS300L44	(1)	ACF46-164B	17,620	10.4	29,007	28,083	503	725
	RHS300L44	(2)	ACF26-92B	18,220	9.5	32,186	31,262	503	594
	RHS100L22	(1)	ACF26-60B	6,100	9.8	18,169	18,169	282	259
	RHS200L22	(1)	ACF26-60B	6,800	11.0	20,108	19,911	318	344
	RHS200L22	(2)	ACF16-36B	7,080	9.6	22,684	22,487	318	372
	RHS201L22	(1)	ACF26-92B	9,420	9.8	22,527	22,674	438	382
	RHS201L22	(2)	ACF16-46B	9,420	9.8	24,475	24,622	438	414
	RHS202L22	(1)	ACF36-120B	11,600	9.3	24,227	23,820	454	398
RHS202L22	(2)	ACF26-60B	11,580	9.3	26,874	26,467	454	428	
RHS300L22	(1)	ACF46-164B	17,700	10.3	29,762	28,103	503	725	
RHS300L22	(2)	ACF26-92B	18,160	9.5	32,941	31,282	503	594	
D I S C U S	RHD300L44	(1)	ACF66-245B	25,630	10.0	36,373	35,504	653	853
	RHD300L44	(2)	ACF36-120B	25,530	10.2	38,282	37,413	653	656
	RHD400L44	(1)	ACF66-280B	29,350	10.1	N/A	38,655	729	908
	RHD400L44	(2)	ACF36-140B	29,370	10.1	N/A	41,733	729	710
	RHD500L44	(2)	ACF46-164B	34,550	10.1	N/A	43,905	795	1060
	RHD300L22	(1)	ACF56-210B	22,440	10.3	37,209	36,332	653	806
	RHD300L22	(2)	ACF36-120B	23,090	9.2	41,085	40,208	653	656
	RHD400L22	(1)	ACF66-245B	25,690	10.1	N/A	40,342	729	893
	RHD400L22	(2)	ACF36-120B	25,580	10.2	N/A	42,027	729	696
	RHD500L22	(1)	ACF66-280B	31,160	10.7	N/A	42,340	795	918
RHD500L22	(2)	ACF36-140B	31,190	10.7	N/A	45,418	795	720	
S C R O L L	RHO200L44	(1)	ACF26-92B	9,460	9.8	20,618	20,808	264	292
	RHO250L44	(1)	ACF36-120B	12,730	10.2	21,958	22,138	287	318
	RHO250L44	(2)	ACF26-60B	12,720	10.3	24,605	24,785	287	348
	RHO300L44	(1)	ACF36-140B	14,640	10.0	24,127	24,080	345	465
	RHO300L44	(2)	ACF26-75B	14,780	9.5	26,706	26,659	345	490
	RHO301L44	(1)	ACF46-164B	16,880	9.9	25,960	25,882	367	645
	RHO301L44	(2)	ACF26-75B	16,620	10.6	27,849	27,771	367	500
	RHO400L44	(1)	ACF46-185B	20,870	10.9	28,388	28,324	389	670
	RHO400L44	(1)	ACF56-210B	21,340	9.8	29,278	29,214	389	711
	RHO500L44	(1)	ACF66-245B	25,460	10.0	31,758	31,643	444	773
RHO500L44	(2)	ACF36-120B	25,380	10.1	33,443	33,328	444	576	

§ - 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

Models whose list prices are shown in shaded areas are not available in 208/1 V.

230V system evaporators include Ec motors. PSC motors for 460V systems.

HIGH SIERRA SYSTEMS

"D" Series — All - Temp²B / Inter - Temp

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	T-STAT L/SOL. T.X.V.(S)	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD					
D I S C U S	DHD5L44	(2) ACF46-164B	37,040	10.8	\$48,332	\$47,262	\$2,338	\$808	1,315
	DHD5L44	(2) ACF46-185B	37,860	9.9	49,778	48,708	2,338	808	1,335
	DHD6L44	(2) ACF46-185B	42,010	10.9	51,445	50,266	2,338	835	1,400
	DHD6L44	(2) ACF56-210B	43,090	9.9	53,225	51,296	2,338	835	1,482
	DHD8L44	(2) ACF66-245B	53,830	10.6	62,048	59,416	2,786	866	1,836
	DHD8L44	(2) ACF66-280B	55,200	9.5	64,038	61,406	2,786	866	1,866
	DHD9L44	(2) ACF66-280B	62,450	10.7	70,144	67,848	2,786	1,046	2,011
	DHD10L44	(2) ACF66-280B	67,790	11.6	72,618	69,157	2,786	1,086	2,011
	DHD5L22	(1) ACF66-280B	32,690	11.2	46,708	47,730	1,530	808	1,173
	DHD5L22	(2) ACF46-164B	34,000	9.9	51,166	51,438	2,338	808	1,315
	DHD6L22	(2) ACF46-185B	38,780	10.1	54,674	54,563	2,338	835	1,400
	DHD6L22	(2) ACF56-210B	39,770	9.1	56,454	55,593	2,338	835	1,482
	DHD8L22	(2) ACF56-210B	45,700	10.5	61,372	60,377	2,786	866	1,742
	DHD8L22	(2) ACF66-245B	47,140	9.2	65,306	63,561	2,786	866	1,836
	DHD9L22	(2) ACF66-245B	52,570	10.3	70,584	69,265	2,786	1046	1,981
	DHD9L22	(2) ACF66-280B	53,950	9.3	72,574	71,255	2,786	1046	2,011
	DHD10L22	(2) ACF66-280B	59,360	10.2	76,935	73,654	2,786	1086	2,011
	D I S C U S	DHD5L44	(1) ICF26-320	35,850	10.8	42,514	43,814	1,530	808
DHD5L44		(1) ICF36-385	38,160	9.5	45,402	46,067	1,530	808	1,255
DHD5L44		(2) ICF36-185	37,900	9.8	49,246	48,286	2,338	808	1,395
DHD6L44		(1) ICF36-385	42,390	10.6	47,069	47,625	1,530	835	1,320
DHD6L44		(2) ICF36-185	42,060	10.9	50,913	49,844	2,338	835	1,460
DHD8L44		(1) ICF36-460	53,150	11.1	52,627	53,444	1,530	866	1,620
DHD8L44		(1) ICF36-520	54,460	10.1	54,428	55,245	1,530	866	1,665
DHD8L44		(2) ICF26-270	55,850	9.8	59,612	59,810	2,786	866	1,770
DHD9L44		(2) ICF26-270	62,010	11.0	65,718	66,252	2,786	1,046	1,915
DHD9L44		(2) ICF26-320	64,060	9.6	67,424	68,368	2,786	1,046	2,005
DHD10L44		(2) ICF26-320	69,620	10.4	69,898	69,677	2,786	1,086	2,005
DHD10L44		(2) ICF36-385	71,900	9.0	75,674	74,183	2,786	1,086	2,175
DHD12L44		(2) ICF36-385	76,340	9.5	80,497	78,831	2,786	1,281	2,190
DHD15L44		(2) ICF36-460	95,400	10.0	87,880	86,689	2,298	1,343	2,290
DHD15L44		(2) ICF36-520	97,190	9.0	91,482	90,291	2,298	1,343	2,380
DHD5L22		(1) ICF26-320	33,790	10.1	45,348	47,990	1,530	808	1,170
DHD5L22		(1) ICF36-385	35,170	8.8	48,236	50,243	1,530	808	1,255
DHD5L22		(2) ICF36-185	34,900	9.0	52,080	52,462	2,338	808	1,395
DHD6L22		(1) ICF36-385	39,130	9.8	50,298	51,922	1,530	835	1,320
DHD6L22		(2) ICF36-185	38,820	10.1	54,142	54,141	2,338	835	1,460
DHD8L22		(1) ICF36-460	46,580	9.7	55,885	57,589	1,530	866	1,620
DHD8L22		(2) ICF24-230	46,600	9.7	62,492	62,989	2,786	866	1,760
DHD9L22		(1) ICF36-520	53,200	9.8	63,070	65,200	1,636	1,046	1,810
DHD9L22		(2) ICF26-270	53,600	9.5	68,148	69,659	2,786	1,046	1,915
DHD10L22	(2) ICF26-270	58,920	10.5	72,509	72,058	2,786	1,086	1,915	
DHD10L22	(2) ICF26-320	60,970	9.2	74,215	74,174	2,786	1,086	2,005	
DHD15L22	(2) ICF36-385	89,170	11.1	89,517	87,940	2,786	1,343	2,210	
DHD15L22	(2) ICF36-460	92,490	9.6	91,751	90,602	2,786	1,343	2,290	

§ - 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.
 230V system evaporators include Ec motors. PSC motors for 460V systems.

LIST PRICES

"D" Series — Inter - Temp / Ultra - Temp

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	T-STAT L/SOL. T.X.V.(S)	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD					
DISCUS	DHD5L44	(1) UCL2-361	37,430	10.4	\$44,343	\$45,043	\$1,530	\$808	1,230
	DHD5L44	(1) UCL2-408	38,270	9.4	45,068	45,795	1,530	808	1,251
	DHD6L44	(1) UCL2-408	42,530	10.4	46,735	47,353	1,530	835	1,316
	DHD6L44	(1) UCL3-445	43,250	9.7	48,203	47,997	1,530	835	1,395
	DHD6L44	(2) UCL2-240	43,850	9.1	55,603	54,962	2,338	835	1,610
	DHD8L44	(1) UCL3-540	54,440	10.1	54,455	54,367	1,530	866	1,715
	DHD8L44	(1) UCL3-613	55,710	9.1	55,501	55,458	1,530	866	1,750
	DHD8L44	(2) UCL2-304	55,630	9.1	62,182	61,676	2,786	866	1,930
	DHD9L44	(1) UCL3-613	63,090	10.3	61,713	62,006	1,636	1,046	1,895
	DHD9L44	(1) UCL3-660	63,950	9.7	62,351	62,666	1,636	1,046	1,920
	DHD9L44	(2) UCL2-304	62,990	10.4	68,288	68,118	2,786	1,046	2,075
	DHD10L44	(1) UCL3-660	69,500	10.5	65,032	64,182	1,843	1,086	1,920
	DHD10L44	(1) UCL4-722	70,640	9.8	68,820	67,146	1,843	1,086	1,950
	DHD10L44	(2) UCL2-361	70,640	9.8	73,556	72,135	2,786	1,086	2,125
	DHD12L44	(1) UCL4-722	74,910	10.4	73,777	71,928	1,977	1,281	1,965
	DHD12L44	(1) UCL4-817	76,580	9.4	77,466	75,401	1,977	1,281	2,016
	DHD12L44	(2) UCL2-361	74,910	10.4	78,379	76,783	2,786	1,281	2,140
	DHD15L44	(1) UCL4-950	95,270	10.0	87,465	85,774	2,952	1,343	2,160
DHD15L44	(2) UCL3-445	94,240	10.6	87,914	84,771	2,298	1,343	2,360	
DHD15L44	(2) UCL3-540	97,160	9.0	91,536	88,535	2,298	1,343	2,480	
DISCUS	DHD5L22	(1) UCL2-361	34,410	9.5	47,177	49,219	1,530	808	1,230
	DHD6L22	(1) UCL2-408	39,260	9.6	49,964	51,650	1,530	835	1,316
	DHD6L22	(1) UCL3-445	39,920	9.0	51,432	52,294	1,530	835	1,395
	DHD8L22	(1) UCL3-445	45,900	10.3	55,902	56,630	1,530	866	1,655
	DHD8L22	(2) UCL2-240	46,600	9.7	63,750	64,043	2,786	866	1,870
	DHD9L22	(1) UCL3-540	53,180	9.8	63,097	64,322	1,636	1,046	1,860
	DHD9L22	(1) UCL3-613	54,460	8.9	64,143	65,413	1,636	1,046	1,895
	DHD9L22	(2) UCL2-240	51,900	10.8	69,028	69,747	2,786	1,046	2,015
	DHD10L22	(1) UCL3-613	60,000	9.8	68,711	68,019	1,843	1,086	1,895
DHD10L22	(2) UCL2-304	59,900	9.8	75,079	73,924	2,786	1,086	2,075	
DHD15L22	(1) UCL4-950	92,340	9.7	90,848	89,199	2,952	1,343	2,160	
DHD15L22	(2) UCL3-445	91,160	10.2	92,265	89,164	3,266	1,343	2,360	
SCROLL	DHO8L44	(1) ICF26-320	34,940	10.5	41,488	42,327	1,530	725	1,495
	DHO8L44	(1) ICF36-385	36,000	9.0	44,376	44,580	1,530	725	1,580
	DHO8L44	(2) ICF36-185	35,800	9.3	48,668	47,247	2,786	725	1,720
	DHO10L44	(1) ICF36-520	52,650	9.7	56,313	57,005	1,843	795	1,810
	DHO10L44	(2) ICF26-270	52,980	9.4	61,184	61,257	2,786	795	1,915
	DHO13L44	(2) ICF26-270	62,160	11.1	65,184	64,371	2,786	837	1,915
	DHO13L44	(2) ICF26-320	64,040	9.6	66,890	66,487	2,786	837	2,005
	DHO8L44	(1) UCL2-304	34,370	11.3	41,920	42,202	1,530	725	1,530
	DHO8L44	(1) UCL2-361	35,420	9.8	43,317	43,556	1,530	725	1,555
	DHO10L44	(1) UCL3-540	52,630	9.7	56,340	56,127	1,843	795	1,860
	DHO10L44	(1) UCL3-613	53,700	8.8	57,386	57,218	1,843	795	1,895
	DHO10L44	(2) UCL2-240	51,550	10.7	62,064	61,345	2,786	795	2,015
	DHO13L44	(1) UCL3-613	63,140	10.3	61,520	60,466	1,977	837	1,895
	DHO13L44	(1) UCL3-660	63,940	9.7	62,158	61,126	1,977	837	1,920
DHO13L44	(2) UCL2-304	63,050	10.4	67,754	66,237	2,786	837	2,075	
DHO13L44	(2) UCL2-361	64,860	9.0	70,548	68,945	2,786	837	2,125	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.
230V system evaporators include Ec motors. PSC motors for 460V systems.

HIGH SIERRA SYSTEMS

"V" Series — Ultra - Temp

0°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE	SYSTEM PRICE	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD	230-3-60	460-3-60		
DISCUS	VHD15L44	(1) UCL4-950	96,900	10.2	\$88,554	\$87,015	\$1,343	2,685
	VHD15L44	(1) UCL4-1100	99,000	9.0	89,497	87,629	1,343	2,720
	VHD15L44	(2) UCL3-445	95,230	10.7	89,491	86,500	1,343	2,885
	VHD15L44	(2) UCL3-540	98,280	9.1	93,113	90,264	1,343	3,005
	VHD22L44	(1) UCL4-1100	112,200	10.2	95,999	94,174	1,611	2,810
	VHD22L44	(1) UCL4-1260	114,660	9.1	99,939	98,596	1,611	2,825
	VHD22L44	(2) UCL3-540	112,320	10.4	99,884	97,078	1,611	3,095
	VHD22L44	(2) UCL3-613	115,240	9.4	101,976	99,260	1,611	3,165
	VHD27L44	(1) UCL4-1380	144,900	10.5	110,229	110,487	1,842	2,910
	VHD27L44	(1) UCL5-1575	148,050	9.4	115,205	118,096	1,842	3,125
	VHD27L44	(2) UCL3-660	143,880	10.9	110,354	108,750	1,842	3,290
	VHD27L44	(2) UCL4-722	145,840	10.1	117,930	114,678	1,842	3,350
	VHD27L44	(2) UCL4-817	148,700	9.1	125,308	121,624	1,842	3,452
	VHD30L44	(1) UCL5-1575	163,800	10.4	122,061	125,191	1,941	3,190
	VHD30L44	(1) UCL5-1725	167,330	9.7	125,515	126,058	1,941	3,240
	VHD30L44	(2) UCL4-722	161,730	11.2	124,786	121,773	1,941	3,415
VHD30L44	(2) UCL4-817	165,030	10.1	131,436	127,991	1,941	3,517	
DISCUS	VHD15L22	(1) UCL4-817	88,240	10.8	86,896	85,187	1,343	2,561
	VHD15L22	(1) UCL4-950	91,200	9.6	91,258	89,876	1,343	2,685
	VHD15L22	(2) UCL2-408	88,940	10.9	89,259	88,073	1,343	2,727
	VHD15L22	(2) UCL3-445	89,890	10.1	92,195	89,361	1,343	2,885
	VHD22L22	(1) UCL4-950	102,600	10.8	99,724	98,215	1,611	2,775
	VHD22L22	(1) UCL4-1100	105,600	9.6	100,667	98,829	1,611	2,810
	VHD22L22	(2) UCL3-540	105,840	9.8	104,552	101,733	1,611	3,095
	VHD27L22	(1) UCL4-1260	131,040	10.2	109,423	110,649	1,842	2,900
	VHD27L22	(1) UCL4-1380	133,860	9.4	112,879	114,638	1,842	2,910
	VHD27L22	(2) UCL3-613	129,960	10.4	111,728	111,581	1,842	3,240
	VHD27L22	(2) UCL3-660	132,000	9.8	113,004	112,901	1,842	3,290
	VHD30L22	(1) UCL4-1380	151,800	10.7	119,159	121,027	1,941	2,975
VHD30L22	(1) UCL5-1575	155,930	9.7	124,135	128,636	1,941	3,190	
VHD30L22	(2) UCL4-722	153,060	10.3	126,860	125,218	1,941	3,415	
VHD30L22	(2) UCL4-817	156,860	9.4	134,238	132,164	1,941	3,517	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.
230V system evaporators include Ec motors. PSC motors for 460V systems.

LIST PRICES

MiniCon — All - Temp²B

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES	LIST PRICES	WARR.\$ NET PRICE	SHIP WEIGHT (LBS)
	COND. UNIT	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U	230/1 V. EVAP 230/3 V. C/U		
H E R M E T I C	RHH165L44	(1) ACF16-46B	5,670	12.3	\$15,840	\$15,959	\$219	242
	RHH165L44	(1) ACF26-60B	6,150	10.2	16,767	16,886	219	249
	RHH215L44	(1) ACF26-92B	9,690	10.5	18,434	18,833	238	305
	RHH215L44	(1) ACF36-120B	10,380	8.6	19,589	19,988	238	321
	RHH215L44	(2) ACF26-60B	10,380	8.6	22,236	22,635	238	351
	RHH315L44	(1) ACF36-120B	12,390	10.3	22,245	22,295	444	458
S E M I - H E R M E T I C	RHS075L44	(1) ACF16-36B	3,400	9.4	16,420	16,762	264	246
	RHS100L44	(1) ACF16-46B	4,620	10.0	17,294	17,644	282	267
	RHS150L44	(1) ACF26-75B	7,350	9.8	20,566	20,375	318	303
	RHS200L44	(1) ACF26-92B	9,150	9.9	23,226	23,000	438	382
	RHS200L44	(2) ACF16-46B	9,150	9.9	25,174	24,948	438	414
	RHS200L44	(1) ACF36-120B	9,480	8.0	24,381	24,155	438	398
	RHS300L44	(1) ACF46-164B	14,100	8.6	29,007	28,083	503	725
	RHS300L44	(1) ACF36-140B	13,470	9.7	28,317	27,393	503	555
	RHS300L44	(2) ACF26-75B	13,990	9.3	30,896	29,972	503	580
	RHS075L22	(1) ACF16-36B	3,460	9.6	16,506	16,506	264	238
	RHS100L22	(1) ACF16-41B	4,440	10.8	17,080	17,080	282	249
	RHS200L22	(1) ACF16-46B	5,050	11.0	19,181	18,984	318	337
	RHS201L22	(1) ACF26-75B	7,100	9.5	21,882	22,029	438	375
	RHS202L22	(1) ACF26-75B	8,210	10.9	22,427	22,020	454	375
	RHS300L22	(1) ACF36-120B	12,810	10.7	27,878	26,219	503	548
	RHS300L22	(2) ACF26-60B	12,810	10.7	30,525	28,866	503	578
D I S C U S	RHD300L44	(1) ACF46-185B	19,510	10.5	33,516	32,647	653	765
	RHD300L44	(2) ACF26-92B	19,490	10.6	35,972	35,103	653	624
	RHD400L44	(1) ACF56-210B	22,440	10.7	N/A	35,693	729	846
	RHD400L44	(2) ACF36-120B	23,020	9.6	N/A	39,345	729	696
	RHD500L44	(1) ACF66-245B	26,690	10.9	N/A	38,452	795	903
	RHD500L44	(2) ACF36-140B	27,450	9.8	N/A	42,525	795	720
	RHD300L22	(1) ACF46-164B	16,830	10.3	35,596	34,719	653	755
	RHD300L22	(2) ACF26-75B	16,480	11.0	37,485	36,608	653	610
	RHD400L22	(1) ACF46-185B	19,160	10.4	N/A	37,485	729	805
	RHD400L22	(2) ACF26-92B	19,140	10.4	N/A	39,717	729	664
S C R O L L	RHO200L44	(1) ACF26-75B	7,660	10.5	20,197	20,387	264	285
	RHO250L44	(1) ACF26-92B	10,320	10.2	20,803	20,983	287	302
	RHO250L44	(1) ACF36-120B	10,830	11.2	22,182	22,362	287	318
	RHO300L44	(1) ACF36-120B	11,860	9.0	22,933	22,886	345	458
	RHO300L44	(2) ACF26-60B	11,860	9.9	25,580	25,533	345	488
	RHO301L44	(1) ACF36-140B	13,840	9.9	25,270	25,192	367	475
	RHO301L44	(2) ACF26-75B	14,000	9.9	28,297	28,219	367	500
	RHO400L44	(1) ACF46-185B	17,390	9.3	28,262	28,198	389	670
	RHO400L44	(2) ACF26-92B	17,370	9.4	31,166	31,102	389	529
	RHO500L44	(1) ACF56-210B	20,760	9.9	29,567	29,452	444	726

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

Models whose list prices are shown in shaded areas are not available in 208/1 V.
230V system evaporators include Ec motors. PSC motors for 460V systems.

HIGH SIERRA SYSTEMS

"D" Series — All-Temp²B / Inter - Temp

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	DHD5L44	(1) ACF66-280B	29,510	10.5	43,874	43,554	808	1,173
	DHD5L44	(2) ACF36-140B	29,510	10.5	46,952	46,632	808	975
	DHD5L44	(2) ACF46-164B	30,450	9.3	48,332	47,262	808	1,315
	DHD6L44	(2) ACF36-140B	32,150	11.5	48,619	48,190	835	1,040
	DHD6L44	(2) ACF46-164B	33,310	10.1	49,999	48,820	835	1,380
	DHD6L44	(2) ACF46-185B	34,120	9.2	51,445	50,266	835	1,400
	DHD8L44	(2) ACF46-185B	41,630	11.2	56,334	55,202	866	1,660
	DHD8L44	(2) ACF56-210B	42,810	10.2	58,114	56,232	866	1,742
	DHD9L44	(2) ACF56-210B	48,190	11.5	64,220	62,674	1,046	1,887
	DHD9L44	(2) ACF66-245B	49,790	10.2	68,154	65,858	1,046	1,981
	DHD9L44	(2) ACF66-280B	51,060	9.1	70,144	67,848	1,046	2,011
	DHD10L44	(2) ACF66-245B	54,330	11.1	70,628	67,167	1,086	1,981
	DHD10L44	(2) ACF66-280B	55,860	10.0	72,618	69,157	1,086	2,011
	DHD5L22	(1) ACF66-245B	24,540	10.0	45,713	46,735	808	1,158
	DHD5L22	(2) ACF36-120B	24,420	10.2	47,398	48,420	808	961
	DHD6L22	(1) ACF66-280B	28,820	10.3	48,770	49,409	835	1,238
	DHD6L22	(2) ACF36-140B	28,820	10.3	51,848	52,487	835	1,040
	DHD6L22	(2) ACF46-164B	29,840	9.1	53,228	53,117	835	1,380
	DHD8L22	(2) ACF46-164B	35,020	10.7	58,146	57,901	866	1,640
	DHD8L22	(2) ACF46-185B	35,950	9.7	59,592	59,347	866	1,660
DHD9L22	(2) ACF46-185B	39,860	10.8	64,870	65,051	1,046	1,805	
DHD9L22	(2) ACF56-210B	41,010	9.8	66,650	66,081	1,046	1,887	
DHD10L22	(2) ACF56-210B	44,980	10.7	71,011	68,480	1,086	1,887	
DHD10L22	(2) ACF66-245B	46,550	9.5	74,945	71,664	1,086	1,981	
D I S C U S	DHD5L44	(1) ICF26-270	29,280	10.8	41,661	42,756	808	1,125
	DHD5L44	(2) ICF26-130	29,040	11.2	43,848	43,614	808	1,055
	DHD6L44	(1) ICF26-320	33,130	10.3	44,181	45,372	835	1,235
	DHD6L44	(2) ICF26-150	32,670	10.9	47,981	47,764	835	1,150
	DHD8L44	(1) ICF36-385	42,010	10.9	51,510	52,113	866	1,580
	DHD8L44	(2) ICF36-185	41,630	11.2	55,802	54,780	866	1,720
	DHD9L44	(1) ICF36-460	49,150	10.7	58,839	59,992	1,046	1,765
	DHD9L44	(2) ICF26-270	50,730	9.4	65,718	66,252	1,046	1,915
	DHD10L44	(1) ICF36-520	55,020	10.6	63,321	63,309	1,086	1,810
	DHD10L44	(2) ICF26-270	55,450	10.3	68,192	67,561	1,086	1,915
	DHD12L44	(1) ICF36-520	58,040	11.2	68,278	68,091	1,281	1,825
	DHD12L44	(2) ICF26-270	58,510	10.8	73,015	72,209	1,281	1,930
	DHD15L44	(2) ICF36-385	77,590	10.1	85,646	84,027	1,343	2,210
	DHD15L44	(2) ICF36-460	80,310	8.7	87,880	86,689	1,343	2,290
	DHD5L22	(1) ICF26-270	25,080	9.3	44,495	46,932	808	1,125
	DHD5L22	(2) ICF26-130	24,870	9.6	46,682	47,790	808	1,055
	DHD6L22	(1) ICF26-270	28,570	10.6	46,557	48,611	835	1,190
	DHD6L22	(2) ICF26-150	29,270	9.8	51,210	52,061	835	1,150
	DHD8L22	(2) ICF36-185	35,950	9.7	59,060	58,925	866	1,720
	DHD9L22	(1) ICF36-385	40,230	10.4	60,152	62,068	1,046	1,725
DHD9L22	(2) ICF36-185	39,860	10.8	64,338	64,629	1,046	1,865	
DHD10L22	(1) ICF36-460	45,920	10.0	65,837	66,005	1,086	1,765	
DHD10L22	(2) ICF26-270	47,460	8.8	72,509	72,058	1,086	1,915	
DHD15L22	(2) ICF26-320	68,990	10.8	83,741	83,434	1,343	2,040	
DHD15L22	(2) ICF36-385	71,850	9.3	89,517	87,940	1,343	2,210	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.
230V system evaporators include Ec motors. PSC motors for 460V systems.

LIST PRICES

"D" Series — Inter - Temp / Ultra - Temp

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
DISCUS	DHD5L44	(1) UCL2-304	29,600	10.4	42,946	43,689	808	1,205
	DHD5L44	(1) UCL2-361	30,320	9.1	44,343	45,043	808	1,230
	DHD6L44	(1) UCL2-361	33,520	9.9	46,010	46,601	835	1,295
	DHD6L44	(1) UCL2-408	34,330	9.0	46,637	47,255	835	1,316
	DHD8L44	(1) UCL2-408	41,940	11.0	51,176	51,841	866	1,576
	DHD8L44	(1) UCL3-445	42,720	10.3	52,644	52,485	866	1,655
	DHD8L44	(2) UCL2-240	43,370	9.7	60,492	59,898	866	1,870
	DHD9L44	(1) UCL3-540	50,090	9.9	60,667	60,915	1,046	1,860
	DHD9L44	(1) UCL3-613	51,270	8.9	61,713	62,006	1,046	1,895
	DHD9L44	(2) UCL2-240	48,880	10.9	66,598	66,340	1,046	2,015
	DHD10L44	(1) UCL3-540	54,690	10.8	63,348	62,431	1,086	1,860
	DHD10L44	(1) UCL3-613	56,110	9.8	64,394	63,522	1,086	1,895
	DHD10L44	(2) UCL2-304	56,010	9.9	70,762	69,427	1,086	2,075
	DHD12L44	(1) UCL3-613	59,230	10.3	69,351	68,304	1,281	1,910
	DHD12L44	(2) UCL2-304	59,130	10.4	75,585	74,075	1,281	2,090
	DHD15L44	(1) UCL4-817	77,460	10.1	83,103	81,085	1,343	2,036
	DHD15L44	(1) UCL4-950	79,810	9.0	87,465	85,774	1,343	2,160
	DHD15L44	(2) UCL2-408	77,460	10.1	84,978	83,483	1,343	2,202
DHD15L44	(2) UCL3-445	78,810	9.5	87,914	84,771	1,343	2,360	
DISCUS	DHD5L22	(1) UCL2-240	24,010	10.7	44,935	46,976	808	1,175
	DHD5L22	(1) UCL2-304	25,360	8.9	45,780	47,865	808	1,205
	DHD6L22	(1) UCL2-304	28,910	10.2	47,842	49,544	835	1,270
	DHD6L22	(1) UCL2-361	30,020	8.9	49,239	50,898	835	1,295
	DHD8L22	(1) UCL2-361	35,260	10.4	53,709	55,234	866	1,555
	DHD8L22	(1) UCL2-408	36,190	9.5	54,434	55,986	866	1,576
	DHD9L22	(1) UCL2-408	40,160	10.5	59,818	61,796	1,046	1,721
	DHD9L22	(1) UCL3-445	40,930	9.8	61,286	62,440	1,046	1,800
	DHD9L22	(2) UCL2-240	41,570	9.3	69,028	69,747	1,046	2,015
	DHD10L22	(1) UCL3-540	44,880	10.8	67,665	66,928	1,086	1,860
	DHD10L22	(2) UCL2-240	46,340	9.3	73,389	72,146	1,086	2,015
	DHD15L22	(1) UCL4-722	45,650	10.2	82,590	80,830	1,343	1,985
DHD15L22	(1) UCL4-817	68,390	11.1	86,279	84,303	1,343	2,036	
DHD15L22	(2) UCL2-361	69,870	10.3	87,399	85,892	1,343	2,160	
DHD15L22	(2) UCL2-408	71,730	9.4	88,849	87,396	1,343	2,202	
SCROLL	DHO8L44	(1) ICF26-270	28,340	10.5	40,635	41,269	725	1,450
	DHO8L44	(1) ICF26-320	29,190	9.1	41,488	42,327	725	1,495
	DHO8L44	(2) ICF26-150	28,880	9.6	45,736	45,167	725	1,410
	DHO10L44	(1) ICF36-385	41,420	10.8	53,395	53,873	795	1,725
	DHO10L44	(1) ICF36-460	42,800	9.3	54,512	55,204	795	1,765
	DHO13L44	(1) ICF36-520	51,450	9.9	60,447	60,253	837	1,810
	DHO13L44	(2) ICF26-270	51,800	9.6	65,184	64,371	837	1,915
	DHO8L44	(1) UCL2-304	28,600	10.1	41,920	42,202	725	1,530
	DHO8L44	(1) UCL2-361	29,450	8.7	43,317	43,556	725	1,555
	DHO10L44	(1) UCL3-445	42,040	10.1	54,529	54,245	795	1,800
	DHO10L44	(2) UCL2-240	50,020	9.5	62,064	61,345	795	2,015
	DHO13L44	(1) UCL3-540	51,180	10.1	60,474	59,375	837	1,860
DHO13L44	(1) UCL3-613	52,320	9.1	61,520	60,466	837	1,895	
DHO13L44	(2) UCL2-304	52,240	9.2	67,754	66,237	837	2,075	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

230V system evaporators include Ec motors. PSC motors for 460V systems.

HIGH SIERRA SYSTEMS

"V" Series — Ultra - Temp

-10°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	VHD15L44	(1) UCL4-817	78,520	10.3	84,192	82,326	1,343	2,561
	VHD15L44	(1) UCL4-950	80,930	9.1	88,554	87,015	1,343	2,685
	VHD15L44	(2) UCL2-408	78,520	10.3	86,969	85,626	1,343	2,727
	VHD15L44	(2) UCL3-445	79,900	9.6	89,905	86,914	1,343	2,885
	VHD22L44	(1) UCL4-950	91,000	10.2	95,056	93,560	1,611	2,775
	VHD22L44	(1) UCL4-1100	93,370	9.1	95,999	94,174	1,611	2,810
	VHD22L44	(2) UCL3-445	89,850	10.8	96,262	93,314	1,611	2,975
	VHD22L44	(2) UCL3-540	93,080	9.2	99,884	97,078	1,611	3,095
	VHD27L44	(1) UCL4-1100	114,340	11.1	102,833	102,076	1,842	2,885
	VHD27L44	(1) UCL4-1260	117,480	10.0	106,773	106,498	1,842	2,900
	VHD27L44	(2) UCL3-540	113,890	11.3	106,986	105,248	1,842	3,170
	VHD27L44	(2) UCL3-613	116,860	10.2	109,078	107,430	1,842	3,240
	VHD27L44	(2) UCL3-660	118,500	9.6	110,354	108,750	1,842	3,290
	VHD30L44	(1) UCL4-1260	129,650	11.0	113,629	113,593	1,941	2,965
	VHD30L44	(1) UCL4-1380	132,060	10.2	117,085	117,582	1,941	2,975
	VHD30L44	(2) UCL3-660	130,900	10.6	116,482	115,117	1,941	3,355
VHD30L44	(2) UCL4-722	133,210	9.9	124,058	121,045	1,941	3,415	
D I S C U S	VHD15L22	(1) UCL4-722	69,010	10.2	83,207	81,714	1,343	2,510
	VHD15L22	(1) UCL4-817	70,860	9.3	86,896	85,187	1,343	2,561
	VHD15L22	(2) UCL2-361	69,030	10.2	88,223	86,983	1,343	2,685
	VHD15L22	(2) UCL2-408	70,860	9.3	89,673	88,487	1,343	2,727
	VHD22L22	(1) UCL4-817	79,760	10.4	95,362	93,526	1,611	2,651
	VHD22L22	(1) UCL4-950	82,270	9.3	99,724	98,215	1,611	2,775
	VHD22L22	(2) UCL2-408	79,760	10.4	97,994	96,681	1,611	2,817
	VHD22L22	(2) UCL3-445	81,200	9.8	100,930	97,969	1,611	2,975
	VHD27L22	(1) UCL4-950	98,230	11.0	104,540	105,613	1,842	2,850
	VHD27L22	(1) UCL4-1100	101,500	9.9	105,483	106,227	1,842	2,885
	VHD27L22	(1) UCL4-1260	104,290	8.8	109,423	110,649	1,842	2,900
	VHD27L22	(2) UCL3-540	101,100	10.0	109,636	109,399	1,842	3,170
	VHD27L22	(2) UCL3-613	103,740	9.0	111,728	111,581	1,842	3,240
	VHD30L22	(1) UCL4-1100	113,160	11.0	111,763	112,616	1,941	2,950
VHD30L22	(1) UCL4-1260	116,540	9.9	115,703	117,038	1,941	2,965	
VHD30L22	(2) UCL3-540	112,670	11.2	115,916	115,788	1,941	3,235	
VHD30L22	(2) UCL3-613	115,870	10.1	118,008	117,970	1,941	3,305	
VHD30L22	(2) UCL3-660	117,640	9.5	119,284	119,290	1,941	3,355	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.
230V system evaporators include Ec motors. PSC motors for 460V systems.

LIST PRICES

MiniCon — All - Temp²B

-20° ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		LIST PRICES	LIST PRICES	WARR.\$ NET PRICE	SHIP WEIGHT (LBS)
	COND. UNIT	EVAP	Btu/hr	TD	230/1 V. EVAP 230/1 V. C/U	230/1 V. EVAP 230/3 V. C/U		
H E R M.	*RHH165L44	(1) ACF16-41B	4,060	10.4	\$15,678	\$15,797	\$219	239
	*RHH165L44	(1) ACF16-46B	4,210	9.6	15,840	15,959	219	242
	*RHH315L44	(1) ACF26-92B	9,280	10.7	21,090	21,140	444	442
	*RHH315L44	(1) ACF36-120B	9,910	8.7	22,245	22,295	444	458
	*RHH315L44	(2) ACF26-60B	9,910	8.7	24,892	24,942	444	488
S E M I - H E R M.	*RHS100L44	(1) ACF16-36B	3,510	10.3	\$17,004	\$17,354	282	261
	*RHS150L44	(1) ACF26-60B	5,610	9.8	20,003	19,812	318	302
	*RHS200L44	(1) ACF26-75B	6,720	9.6	22,581	22,355	438	375
	*RHS200L44	(1) ACF26-92B	7,140	8.2	23,226	23,000	438	382
	*RHS300L44	(1) ACF26-92B	9,570	11.0	25,968	25,044	503	532
	*RHS300L44	(2) ACF16-46B	9,610	10.9	27,916	26,992	503	564
	*RHS100L22	(1) ACF16-36B	3,330	9.8	16,952	16,952	282	246
	*RHS200L22	(1) ACF16-41B	3,800	9.7	19,019	18,822	318	334
	*RHS201L22	(1) ACF16-46B	4,770	10.8	20,392	20,539	438	367
	*RHS202L22	(1) ACF26-60B	6,060	10.6	21,864	21,457	454	374
D I S C U S	RHD300L44	(1) ACF36-140B	14,230	10.7	32,103	31,234	653	585
	RHD300L44	(2) ACF26-75B	14,480	10.2	34,682	33,813	653	610
	RHD400L44	(1) ACF46-185B	17,950	10.2	N/A	34,803	729	805
	RHD400L44	(2) ACF26-92B	17,920	10.3	N/A	37,035	729	664
	RHD500L44	(1) ACF56-210B	20,800	10.4	N/A	36,485	795	856
	RHD500L44	(2) ACF36-120B	21,430	9.4	N/A	40,137	795	706
	RHD300L22	(1) ACF36-120B	12,060	10.6	33,712	32,835	653	578
	RHD300L22	(2) ACF26-60B	12,060	10.6	36,359	35,482	653	608
	RHD400L22	(1) ACF36-140B	13,760	10.3	N/A	36,072	729	625
	RHD400L22	(2) ACF26-75B	14,000	9.9	N/A	38,427	729	650
S C R O L L	RHO200L44	(1) ACF26-60B	5,920	10.4	19,410	19,600	264	284
	RHO250L44	(1) ACF26-92B	8,540	9.8	20,803	20,983	287	302
	RHO300L44	(1) ACF26-92B	9,380	10.8	21,876	21,829	345	442
	RHO301L44	(1) ACF36-120B	11,170	9.8	24,174	24,096	367	468
	RHO301L44	(2) ACF26-60B	11,170	9.8	26,723	26,645	367	498
	RHO400L44	(1) ACF36-120B	12,600	11.1	25,879	25,815	389	483
	RHO400L44	(1) ACF36-140B	13,070	9.8	27,073	27,009	389	490
	RHO400L44	(2) ACF26-75B	13,260	9.3	29,428	29,364	389	515
	RHO500L44	(1) ACF46-164B	16,320	10.9	28,178	28,063	444	675
	RHO500L44	(1) ACF46-185B	16,830	9.6	28,901	28,786	444	685
	RHO500L44	(2) ACF26-92B	16,790	9.6	31,133	31,018	444	544

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

Models whose list prices are shown in shaded areas are not available in 208/1 V.

230V system evaporators include Ec motors. PSC motors for 460V systems

HIGH SIERRA SYSTEMS

"D" Series — All - Temp²B / Inter - Temp

-20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	DHD5L44	(1) ACF56-210B	22,110	11.0	40,912	40,967	808	1,111
	DHD5L44	(1) ACF66-245B	22,900	9.8	42,879	42,559	808	1,158
	DHD5L44	(2) ACF36-120B	22,800	10.0	44,564	44,244	808	961
	DHD6L44	(1) ACF66-245B	24,900	10.7	44,546	44,117	835	1,223
	DHD6L44	(1) ACF66-280B	25,670	9.6	45,541	45,112	835	1,238
	DHD6L44	(2) ACF36-120B	24,770	10.9	46,231	45,802	835	1,026
	DHD6L44	(2) ACF36-140B	25,670	9.7	48,619	48,190	835	1,040
	DHD8L44	(1) ACF66-280B	31,210	11.7	49,982	49,600	866	1,498
	DHD8L44	(2) ACF46-164B	32,130	10.7	54,888	53,756	866	1,640
	DHD8L44	(2) ACF46-185B	33,270	9.4	56,334	55,202	866	1,660
	DHD9L44	(2) ACF46-185B	37,960	10.8	62,440	61,644	1,046	1,805
	DHD9L44	(2) ACF56-210B	39,020	9.8	64,220	62,674	1,046	1,887
	DHD10L44	(2) ACF56-210B	42,330	10.6	66,694	63,983	1,086	1,887
	DHD10L44	(2) ACF66-245B	43,750	9.4	70,628	67,167	1,086	1,981
	DHD12L44	(2) ACF66-245B	45,810	9.8	75,451	71,815	1,281	1,996
	DHD5L22	(1) ACF46-185B	17,710	10.1	42,856	44,628	808	1,070
	DHD5L22	(2) ACF26-92B	17,650	10.1	45,088	46,860	808	929
	DHD6L22	(1) ACF56-210B	21,130	10.6	45,808	46,822	835	1,176
	DHD6L22	(1) ACF66-245B	21,960	9.4	47,775	48,414	835	1,223
	DHD6L22	(2) ACF36-120B	21,840	9.6	49,460	50,099	835	1,026
DHD8L22	(1) ACF66-280B	26,630	10.0	53,240	53,745	866	1,498	
DHD8L22	(2) ACF36-140B	26,630	10.0	56,766	57,271	866	1,300	
DHD8L22	(2) ACF46-164B	27,350	9.1	58,146	57,901	866	1,640	
DHD9L22	(1) ACF66-280B	28,970	10.9	58,624	59,555	1,046	1,643	
DHD9L22	(2) ACF46-164B	29,880	10.0	63,424	63,605	1,046	1,785	
DHD10L22	(2) ACF46-185B	33,850	9.6	69,231	67,450	1,086	1,805	
D I S C U S	DHD5L44	(1) ICF26-270	23,390	9.1	41,661	42,756	808	1,125
	DHD5L44	(2) ICF26-130	23,310	9.4	43,848	43,614	808	1,055
	DHD6L44	(1) ICF26-270	25,440	9.9	43,328	44,314	835	1,190
	DHD6L44	(2) ICF26-130	25,300	10.2	45,515	45,172	835	1,120
	DHD8L44	(1) ICF26-320	32,330	10.6	48,622	49,860	866	1,495
	DHD8L44	(2) ICF36-185	33,440	9.5	55,802	54,780	866	1,720
	DHD9L44	(1) ICF36-385	38,170	10.4	57,722	58,661	1,046	1,725
	DHD9L44	(2) ICF36-185	38,020	10.8	61,908	61,222	1,046	1,865
	DHD10L44	(1) ICF36-385	41,470	11.3	60,403	60,177	1,086	1,725
	DHD10L44	(1) ICF36-460	43,360	9.9	61,520	61,508	1,086	1,765
	DHD10L44	(2) ICF24-230	43,360	9.9	67,814	66,595	1,086	1,905
	DHD12L44	(1) ICF36-460	45,110	10.3	66,477	66,290	1,281	1,780
	DHD12L44	(2) ICF26-270	46,770	9.1	73,015	72,209	1,281	1,930
	DHD15L44	(2) ICF26-270	57,750	11.2	78,164	77,405	1,343	1,950
	DHD15L44	(2) ICF26-320	60,120	9.9	79,870	79,521	1,343	2,040
	DHD5L22	(1) ICF36-185	17,710	10.1	42,590	44,417	808	1,100
	DHD6L22	(1) ICF26-270	22,450	8.7	46,557	48,611	835	1,190
	DHD8L22	(1) ICF26-270	26,410	10.3	51,027	52,947	866	1,450
	DHD8L22	(2) ICF26-150	27,070	9.5	56,128	56,845	866	1,410
	DHD9L22	(1) ICF26-320	30,000	9.8	57,264	59,815	1,046	1,640
DHD9L22	(2) ICF26-150	29,230	10.3	61,406	62,549	1,046	1,555	
DHD10L22	(1) ICF26-320	32,670	10.7	61,832	62,421	1,086	1,640	
DHD10L22	(2) ICF36-185	33,850	9.6	68,699	67,028	1,086	1,865	
DHD15L22	(1) ICF36-520	51,450	10.4	77,298	77,200	1,343	1,845	
DHD15L22	(2) ICF26-270	51,940	10.1	82,035	81,318	1,343	1,950	
DHD15L22	(2) ICF26-320	54,050	8.9	83,741	83,434	1,343	2,040	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.

230V system evaporators include Ec motors. PSC motors for 460V systems.

LIST PRICES

"D" Series — Inter - Temp / Ultra - Temp

-20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	WARR.\$ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
DISCUS	DHD5L44	(1) UCL2-240	22,340	10.7	42,101	42,800	808	1,175
	DHD6L44	(1) UCL2-304	25,630	9.7	44,613	45,247	835	1,270
	DHD8L44	(1) UCL2-361	32,470	10.3	50,451	51,089	866	1,555
	DHD8L44	(1) UCL2-408	33,330	9.4	51,176	51,841	866	1,576
	DHD9L44	(1) UCL2-408	38,040	10.7	57,388	58,389	1,046	1,721
	DHD9L44	(1) UCL3-445	38,760	10.0	58,856	59,033	1,046	1,800
	DHD10L44	(1) UCL3-445	42,000	10.8	61,537	60,549	1,086	1,800
	DHD10L44	(1) UCL3-540	43,830	9.3	63,348	62,431	1,086	1,860
	DHD10L44	(2) UCL2-240	42,750	10.2	69,072	67,649	1,086	2,015
	DHD12L44	(1) UCL3-540	45,890	9.8	68,305	67,213	1,281	1,875
	DHD12L44	(2) UCL2-240	44,670	10.7	73,895	72,297	1,281	2,030
	DHD15L44	(1) UCL3-660	59,300	10.3	75,626	74,648	1,343	1,955
	DHD15L44	(1) UCL4-722	60,480	9.6	79,414	77,612	1,343	1,985
	DHD15L44	(2) UCL2-304	58,140	11.0	80,734	79,271	1,343	2,110
DHD15L44	(2) UCL2-361	60,500	9.6	83,528	81,979	1,343	2,160	
DISCUS	DHD5L22	(1) UCL1-193	17,490	10.4	41,510	44,278	808	1,025
	DHD6L22	(1) UCL2-240	31,380	10.2	46,997	48,655	835	1,240
	DHD8L22	(1) UCL2-304	26,580	10.1	52,312	53,880	866	1,530
	DHD9L22	(1) UCL2-304	28,910	10.3	57,696	59,690	1,046	1,675
	DHD9L22	(1) UCL2-361	30,220	9.6	59,093	61,044	1,046	1,700
	DHD10L22	(1) UCL2-361	32,920	10.5	63,661	63,650	1,086	1,700
	DHD10L22	(1) UCL2-408	33,920	9.6	64,386	64,402	1,086	1,721
	DHD10L22	(1) UCL3-445	34,590	8.9	65,854	65,046	1,086	1,800
	DHD15L22	(1) UCL3-540	50,760	10.8	77,325	76,322	1,343	1,895
DHD15L22	(1) UCL3-613	52,400	9.8	78,371	77,413	1,343	1,930	
DHD15L22	(2) UCL2-304	52,280	9.9	84,605	83,184	1,343	2,110	
SCROLL	DHO8L44	(1) ICF26-270	23,300	9.1	40,635	41,269	725	1,450
	DHO10L44	(1) ICF26-320	32,630	10.7	47,129	48,242	795	1,640
	DHO10L44	(1) ICF36-385	33,850	9.2	53,188	53,666	795	1,725
	DHO13L44	(1) ICF36-385	39,920	10.9	57,322	56,914	837	1,725
	DHO13L44	(1) ICF36-460	41,330	9.4	58,646	58,452	837	1,765
	DHO8L44	(1) UCL2-240	22,400	10.7	44,246	44,484	725	1,500
	DHO8L44	(1) UCL2-304	23,410	8.9	45,091	45,373	725	1,530
	DHO10L44	(1) UCL2-361	32,830	10.4	52,336	52,849	795	1,700
	DHO10L44	(1) UCL2-408	33,640	9.5	53,061	53,601	795	1,721
	DHO13L44	(1) UCL2-408	39,640	11.2	57,195	56,849	837	1,721
	DHO13L44	(1) UCL3-445	40,360	10.4	58,663	57,493	837	1,800
DHO13L44	(1) UCL3-540	41,850	8.9	60,474	59,375	837	1,860	
DHO13L44	(2) UCL2-240	40,970	9.8	65,576	63,971	837	2,015	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.
230V system evaporators include Ec motors. PSC motors for 460V systems.

HIGH SIERRA SYSTEMS

"V" Series — Ultra - Temp

-20°F ROOM TEMPERATURE

COMP. TYPE	MODEL NUMBER		SYSTEM CAPACITY @ 95° AMBIENT		SYSTEM PRICE 230-3-60	SYSTEM PRICE 460-3-60	WARR.§ NET PRICE	Ship Weight (LBS)
	COND. UNIT	EVAP	Btu/hr	TD				
D I S C U S	VHD15L44	(1) UCL3-660	60,090	10.5	76,715	75,889	1,343	2,480
	VHD15L44	(1) UCL4-722	61,300	9.8	80,503	78,853	1,343	2,510
	VHD15L44	(2) UCL2-304	58,890	11.1	82,311	81,000	1,343	2,635
	VHD15L44	(2) UCL2-361	61,320	9.8	85,105	83,708	1,343	2,685
	VHD22L44	(1) UCL4-722	69,930	11.1	87,005	85,398	1,611	2,600
	VHD22L44	(1) UCL4-817	71,740	10.1	90,694	88,871	1,611	2,651
	VHD22L44	(2) UCL2-361	69,950	11.1	91,876	90,522	1,611	2,775
	VHD22L44	(2) UCL2-408	71,720	10.1	93,326	92,026	1,611	2,817
	VHD27L44	(1) UCL4-950	89,940	10.9	101,890	101,462	1,842	2,850
	VHD27L44	(1) UCL4-1100	92,850	9.7	102,833	102,076	1,842	2,885
	VHD27L44	(2) UCL3-445	88,610	11.4	103,364	101,484	1,842	3,050
	VHD27L44	(2) UCL3-540	92,510	9.8	106,258	104,520	1,842	3,170
	VHD30L44	(1) UCL4-1100	101,990	10.7	109,689	109,171	1,941	2,950
	VHD30L44	(1) UCL4-1260	104,930	9.6	113,629	113,593	1,941	2,965
	VHD30L44	(2) UCL3-540	101,580	10.8	113,114	111,615	1,941	3,235
	VHD30L44	(2) UCL3-613	104,340	9.8	115,206	113,797	1,941	3,305
VHD30L44	(2) UCL3-660	105,880	9.2	116,482	115,117	1,941	3,355	
D I S C U S	VHD15L22	(1) UCL3-540	50,190	10.7	77,735	76,999	1,343	2,420
	VHD15L22	(1) UCL3-613	51,790	9.7	78,781	78,090	1,343	2,455
	VHD15L22	(1) UCL3-660	52,680	9.2	79,419	78,750	1,343	2,480
	VHD15L22	(2) UCL2-304	51,670	9.8	85,015	83,861	1,343	2,635
	VHD22L22	(1) UCL3-613	58,260	10.9	87,247	86,429	1,611	2,545
	VHD22L22	(1) UCL3-660	59,360	10.3	87,885	87,089	1,611	2,570
	VHD22L22	(1) UCL4-722	60,630	9.7	91,673	90,053	1,611	2,600
	VHD22L22	(2) UCL2-304	58,110	11.0	93,750	92,469	1,611	2,725
	VHD22L22	(2) UCL2-361	60,650	9.7	96,544	95,177	1,611	2,775
	VHD27L22	(1) UCL4-722	71,210	11.4	96,489	97,451	1,842	2,675
	VHD27L22	(1) UCL4-817	73,660	10.4	100,178	100,924	1,842	2,726
	VHD27L22	(1) UCL4-950	76,370	9.3	104,540	105,613	1,842	2,850
	VHD27L22	(2) UCL2-361	71,240	11.3	101,628	102,843	1,842	2,850
	VHD27L22	(2) UCL2-408	73,630	10.4	103,078	104,347	1,842	2,892
	VHD27L22	(2) UCL3-445	75,230	9.7	106,014	105,635	1,842	3,050
	VHD30L22	(1) UCL4-950	85,500	10.4	110,820	112,002	1,941	2,915
VHD30L22	(1) UCL4-1100	88,530	9.2	111,763	112,616	1,941	2,950	
VHD30L22	(2) UCL3-445	84,120	10.9	112,294	112,024	1,941	3,115	
VHD30L22	(2) UCL3-540	88,170	9.4	115,916	115,788	1,941	3,235	

§ 4 Year Extended Compressor Warranty NOT INCLUDED IN THE SYSTEM PRICE.
230V system evaporators include Ec motors. PSC motors for 460V systems.

FREIGHT SURCHARGES

The following freight surcharges will be applied to orders (when applicable). For delivery and post delivery issues the customer will be notified and a second invoice will be generated.

BASIC LTL FREIGHT SURCHARGES	NET Price¹
Delivery Notification / Call before delivery	\$68
Lift Gate Service	\$213
Saturday Delivery Request	\$484
*Failed/Refused delivery attempt (minimum)	\$98
*Failed/Refused delivery attempt (Maximum)	\$1,214
Re-Consignment fee	\$91
Storage (Per 100 LBS for each calendar day)	\$4.62

BASIC CONTRACT HAUL SURCHARGES	NET¹
Cancelled truck not used	\$2,160
Reconsignment fee	\$775
Reconsignment cost per mile (\$1505 Minimum)	\$3.23
Delay in unloading (4 hours or more past an appointment)	\$1,505

† Net prices are not to be discounted.

* Refused Delivery fee will be calculated @ 11.6 cents per 100 LBS, subject to Minimum and Maximum charges shown above (per incident).

¹ -Net prices are not to be discounted.

PRINCIPAL TERMS AND CONDITIONS OF SALE

1. **Applicable Law and Terms of Sale:** All orders shall be subject to the following terms and conditions notwithstanding any additional or contrary printed terms and conditions of Buyer. Such additional or contrary terms shall not bind Seller unless accepted in writing even though such terms do not materially alter the terms hereof. No oral statements, warranties, stipulations, representations or terms shall have any binding effect or be any part of the contract whatsoever.
2. **Orders:** All orders must be in writing and will be binding when our order acknowledgment is mailed. Orders are accepted subject to strikes, fires, accidents, and other causes beyond our reasonable control. Acceptance of your order is conditioned upon an agreement to hold us harmless by reason of delivery delays.
3. **Prices:** Prices are subject to change without notice, and all quotations, unless otherwise specified, are binding only for immediate acceptance. Prices are based on material made to Seller's standard tolerances, unless otherwise specified.
4. **Freight:** All products are shipped FOB Point of Shipment with full freight allowed on single orders with a net price value of \$7000.00 or more, except surface coils and parts within the continental USA (excluding Alaska and Hawaii). Routing and selection of carrier will be made by Seller. For special routing requests, Buyer will bear all additional costs for such routing. Equipment is shipped at Buyer's risk. Buyer should examine equipment before signing transportation receipt. If equipment is received damaged or if quantity received does not match freight bill, the Buyer should require agent to indicate on freight bill and immediately file a damage/missing claim. Our liability ceases upon delivery of equipment in good order to the freight carrier.
5. **Taxes:** Any sales, use, excise, or similar tax payable by Seller which is or may be imposed by any taxing authority upon manufacture, sale or delivery of goods covered by any order or any increase in rate of any such tax now in force, shall be added to the sales price; if not collected at the time of payment of sales price, Buyer will hold Seller harmless.
6. **Limited Warranty:** Seller warrants against defect in materials and workmanship in products which it manufactures for (1) year from date of installation or up to (18) eighteen months from the date of shipment, whichever event occurs first, when properly installed and operated under normal use. This guarantee does not include any labor or other charges made outside of the Seller's factory for replacement or repair of defective parts unless specifically stated in the body of the Seller's invoice. On parts not manufactured by Seller, such as motors, controls, valves and compressors we extend to the Buyer the same warranties made to us by the manufacturer. Seller's only liability under this warranty or otherwise shall be the repair or replacement (at Seller's option) of non-conforming goods or parts. Seller assumes no liability for incidental or consequential damages such as injury to person or property, or lost profits.
7. **THIS GUARANTEE SUPERSEDES AND IS IN LIEU OF ANY AND ALL OTHER WARRANTIES BY LAW OR CUSTOM, EITHER EXPRESSED OR IMPLIED INCLUDING, BUT NOT LIMITED BY THIS ENUMERATION, ANY GUARANTEE AS TO QUALITY OR FITNESS FOR ANY PARTICULAR PURPOSE, EXCEPT AS SET FORTH ABOVE. NO PERSON, AGENT, OR DEALER IS AUTHORIZED TO GIVE ANY WARRANTIES ON BEHALF OF SELLER NOR TO ASSUME FOR SELLER ANY OTHER LIABILITY IN CONNECTION WITH ANY OF THE SELLER'S PRODUCTS.**
8. **Delivery:** Seller shall not be liable for any delays in or failure of delivery due to acts of God or public authority, labor disputes, accidents, fires, floods, extreme weather conditions, failure of and delays by carriers, shortages of material, delays of a supplier, and any other cause beyond Seller's control. In no event shall Seller be liable for consequential or special damages arising out of a delay in or failure of delivery. Failure to meet estimated ship dates will not be considered sufficient cause of cancellation of orders.
9. **Cancellations and Returned Goods:** Permission to return any part or product must be obtained from Seller and may be subject to a restocking charge. Credits for new material accepted for return will be at the original sales price or current market price, whichever is lower, less handling and restocking charges. Buyer must prepay all transportation charges. Any costs for putting material in condition for resale will be charged to the Buyer. Shipment of material returned without factory authorization or not properly tagged with a Return Material Authorization Number or not freight prepaid cannot be received by Seller. Obsolete products or material made to special order are not returnable.
10. **Catalog Materials and Drawings:** Seller is not responsible for typographical errors or other errors of omission in Seller's catalogs or drawings.
11. **Late Charge Provision:** Buyer agrees to pay a late charge of 1-1/2% per month (18% per year) for any invoice or bill not paid within (30) thirty days of the date of the billing invoice.
12. **Choices of law, Disputes:** This agreement and the performance of the parties hereunder shall be construed in accordance with and governed by the laws of the State of California and shall be deemed made in the state. Buyer irrevocably consents to the exclusive jurisdiction of the courts of Orange County, California, on all matters arising out of or relating to this sale and Buyer further irrevocably consents to service of process by certified mail, return receipt requested, at Buyer's address set forth in the order acknowledgement.

The above terms and conditions apply to all orders placed with the Seller. Buyer acknowledges having read and understood these terms and conditions and agrees to abide by them upon placement of any order with the Seller. In the event it becomes necessary to refer the account to a collection agency or to institute legal action to obtain payment of the account, Buyer agrees to pay all reasonable attorney fees and court costs incurred by such action.

